ELSEVIER

Molecular and Cellular Endocrinology 106 (1994) 231–243

Molecular and Cellular Endocrinology

Author index

Volumes 98–106 (1994)

AB, G., see Schippers, I.J. **105**, 175
Abayasekara, D.R.E., see Michael, A.E. **99**, R1
Abdelkhalek, M.B., Breton, M.F., Feliers, D., Haye, B., Pavlovic-Hournac, M., TSH action on cAMP binding to the regulatory subunits of cAMP-dependent protein kinases in pig thyroid cell cultures **99**, 103
Abou-Samra, A.-B., see McCauley, L.K. **101**, 331
Accili, D., see Sesti, G. **101**, 121
Adams, T.E., see O'Mahoney, J.V. **101**, 129
Adamski, J., see Leenders, F. **104**, 127
Adashi, E.Y., Resnick, C.E., Rosenfeld, R.G., IGF-I stimulates granulosa cell-derived insulin-like growth factor binding protein-5: evidence for medication via type I IGF receptors **99**, 279
Adashi, E.Y., see Hurwitz, A. **101**, 307
Ailhaud, G., see Darimont, C. **98**, 67
Ailhaud, G., see Safonova, I. **104**, 201
Akers, R.M., see Romagnolo, D. **102**, 131
Albanese, C., Christin-Maitre, S., Sluss, P.M., Crowley, W.F., Jameson, J.L., Development of a bioassay for FSH using a recombinant human FSH receptor and a cAMP responsive luciferase reporter gene **101**, 211
Albanese, C., see Hollenberg, A.N. **106**, 111
Albiston, A.L., Obeyesekere, V.R., Smith, R.E., Krozowski, Z.S., Cloning and tissue distribution of the human 11β-hydroxysteroid dehydrogenase type 2 enzyme **105**, R11
Allen, D.L., see Sonenberg, M. **99**, 193
Allevard, A.M., see Fillion, C. **99**, 25
Alpizar, E., see Spicer, L.J. **102**, 69
Altiok, S., see Groner, B. **100**, 109
Ambler, G.R., see Butler, A.A. **101**, 321
Amit, T., Hacham, H., Daily, O., Hertz, P., Barkey, R.J., Hochberg Z., The Hep G2 cell line in the study of growth hormone receptor/binding protein **101**, 29
Amos, T.M., see Iwanij, V. **101**, 257
Amri, E.-Z., see Safonova, I. **104**, 201
Andersson, A., see Velloso, L.A. **102**, 31
Andreani, C.L., Pierro, E., Lanzone, A., Lazzarin, N., Capitanio, G., Giannini, P., Mancuso, S., Effect of gonadotropins, insulin and IGF I on granulosa luteal cells from polycystic ovaries **106**, 91
Anglade, I., see Pakdel, F. **104**, 81
Antolín, I., see Domínguez, P. **106**, 81
Antonipillai, I., see Wahe, M. **98**, 55
Aoyama, S., see Maki, K. **105**, 147
Apa, R., Lanzone, A., Miceli, F., Caruso, A., Mancuso, S., Canipari, R., Growth hormone induction of rat granulosa cell tissue-plasminogen activator expression and progesterone synthesis **99**, 153
Apa, R., Lanzone, A., Miceli, F., Mastrandrea, M., Caruso, A., Mancuso, S., Canipari, R., Growth hormone induces in vitro maturation of follicle- and cumulus-enclosed rat oocytes **106**, 207
Arinze, I.J., see Jiang, P. **99**, 95
Armstrong, D.T., see Tekpetey, F.R. **101**, 49
Arner, P., see Möller, C. **99**, 111
Asakai, R., Song, S.-Y., Itoh, N., Yamakuni, T., Tamura, K., Okamoto, R., Differential gene expression of fibroblast growth factor receptor isoforms in rat ovary **104**, 75
Ashworth R.J., Thyrotropin-releasing hormone (TRH)-related peptides **101** C, 1
Astraudo, C., see Lefèvre, A. **106**, 31
Aunis, D., see Monnier, D. **104**, 139
Avallet, O., see Gautier, C. **99**, 55
Azuma, C., see Kikuchi, T. **102**, 1

Baarends, W.M., see Grootegoed, J.A. **100**, 29
Baertschi, A.J., Antisense oligonucleotide strategies in physiology **101**, R5
Bailhache, T., see Pakdel, F. **104**, 81
Bakker, A., see Han, Z. **99**, 293
Ballagi, A.E., see Velloso, L.A. **102**, 31
Bancroft, C., see Yan, G.-z. **101**, R5
Barjhoux, L., see Naville, D. **106**, 131
Barkey, R.J., see Amit, T. **101**, 29
Baron, J., see Domené, H.M. **103**, 81
Barrett, P., see Helliwell, R.J.A. **104**, 95
Batch, J., see Oakes, S.R. **99**, 125
Becker, I.I., see Davidson, J.S. **100**, 9
Beecher, C.A., see McCauley, L.K. **101**, 331
Bégeot, M., see Naville, D. **106**, 131
Bégeot, M., see Lebrethon, M.C. **106**, 137
Bélanger, A., see Sanchez, R. **103**, 29
Bellet, D., see Robert, P. **101**, 11
Bellet, D., see Robert, P. **101**, 21
Ben-Chetrit, A., seeHurwitz, A. **101**, 307
Ben-Menahem, D., see Garcia-Navarro, S. **103**, 133
Benahmed, M., see Besset, V. **99**, 251
Bentvelsen, F.M., McPhaul, M.J., Wilson, J.D., George, F.W., The androgen receptor of the urogenital tract of the fetal rat is regulated by androgen **105**, 21
Berg, J.P., see Sørnes, G. **101**, 183
Berg, L., see Pekary, A.E. **101**, R1
Bernier, F., Solache, I.L., Labrie, F., Luu-The, V., Cloning and expression of cDNA encoding human placental estrogen sulfotransferase **99**, R1
Berridge M.J., The biology and medicine of calcium signalling **98**, 119
Berthois, Y., Pons, M., Dussert, C., Crastes de Paulet, A., Martin, P.-M., Agonist-antagonist activity of anti-estrogens in the human breast cancer cell line MCF-7: an hypothesis for the interaction with a site distinct from the estrogen binding site **99**, 259
Bertolini, S., see Laurino, C. **104**, 147

0303-7207/94/$07.00 © 1994 Elsevier Science Ireland Ltd. All rights reserved

Besset, V., Collette, J., Chauvin, M.A., Franchimont, P., Benahmed, M., Effect of transforming growth factor-β_1 on the insulin-like growth factor system in cultured porcine Leydig cells **99**, 251
Bidart, J.-M., see Robert, P. **101**, 11
Bidart, J.-M., see Robert, P. **101**, 21
Billington, C.J., see Iwanij, V. **101**, 257
Binder, R., see Lazier, C.B. **106**, 187
Bird, I.M., see Mountjoy, K.G. **99**, R7
Bird, I.M., see Rainey, W.E. **100**, 45
Biswas, R., see Das, R.B. **98**, 1
Björk, E., see Velloso, L.A. **102**, 31
Björklund, A., see Niemann, A. **106**, 151
Bjøro, T., see Sørnes, G. **101**, 183
Blackmore, P.F., Im, W.B., Bleasdale, J.E., The cell surface progesterone receptor which stimulates calcium influx in human sperm is unlike the A ring reduced steroid site on the $GABA_A$ receptor/chloride channel **104**, 237
Blake, M.J., see Buckley, A.R. **98**, 17
Blankenstein, M.A., see Koehorst, S.G.A. **101**, 237
Blázquez, E., see Santos, A. **101**, 85
Bleasdale, J.E., see Sizer, K.M. **102**, 119
Bleasdale, J.E., see Sizer, K.M. **103**, 1
Bleasdale, J.E., see Blackmore, P.F. **104**, 237
Blum, M., see Yu, K.-L. **102**, 85
Boers, M.-E., see Hollenberg, A.N. **106**, 111
Boeynaems, J.-M., see Ohayon, R. **99**, 133
Boeynaems, J.M., see Panneels, V. **102**, 167
Boeynaems, J.M., see Panneels, V. **106**, 41
Boga, J.A., see Domínguez, P. **106**, 81
Boitano, S., see Sanderson, M.J. **98**, 173
Bökenkamp, D., Jungblut, P.W., Thole, H.H., The C-terminal half of the porcine estradiol receptor contains no post-translational modification: determination of the primary structure **104**, 163
Bootman, M.D., Quantal Ca^{2+} release from $InsP_3$-sensitive intracellular Ca^{2+} stores **98**, 157
Borboni, P., see Sesti, G. **101**, 121
Borboni, P., Porzio, O., Fusco, A., Sesti, G., Lauro, R., Marlier, L.N.J.L., Molecular and cellular characterization of the $GABA_A$ receptor in the rat pancreas **103**, 157
Born, W., see Muff, R. **100**, 35
Born, W., see Kaufmann, M. **104**, 21
Boujrad, N., see Papadopoulos, V. **104**, R5
Bousfield, G.R., see Robert, P. **101**, 11
Bouterfa, H., see Damke, H. **99**, R5
Boutillier, A.L., see Monnier, D. **104**, 139
Brady, L.S., see Patchev, V.K., **103**, 57
Braekman, J.-C., see Ohayon, R. **99**, 133
Braekman, J.C., see Panneels, V. **102**, 167
Braekman, J.C., see Panneels, V. **106**, 41
Brambilla, E., see Negoescu, A. **105**, 155
Bramley, T.A., Menzies, G.S., Particulate binding sites for steroid hormones in subcellular fractions of the ovine corpus luteum: properties and hormone specificity **103**, 39
Brandon, M.R., see O'Mahoney, J.V. **101**, 129
Braulke, T., see Damke, H. **99**, R5
Breier, B.H., see Butler, A.A. **101**, 321
Breton, M.F., see Abdelkhalek, M.B. **99**, 103
Brinkmann, A.O., see Kuiper, G.G.J.M. **100**, 103
Brooks, C.L., Isaacs, L.A., Wicks, J.R., Preparative purification of phosphorylated and nonphosphorylated bovine prolactins **99**, 301
Bruder, J.M., Wierman, M.E., Evidence for transcriptional inhibition of GnRH gene expression by phorbol ester at a proximal promoter region **99**, 177
Bruni, C.B., see Zarrilli, R. **101**, R1
Bucht, E., see Sjöholm, Å. **103**, 89
Buckley, A.R., Buckley, D.J., Gout, P.W., Liang, H., Rao, Y.-p., Blake, M.J., Inhibition by genistein of prolactin-induced Nb2 lymphoma cell mitogenesis **98**, 17
Buckley, D.J., see Buckley, A.R. **98**, 17
Buhi, W.C., see Conliffe, P.R. **106**, 121
Burbach, J.P.H., see Lopes da Silva, S. **98**, 61
Burbach, J.P.H., see Koehorst, S.G.A. **101**, 237
Burrin, J.M., see Desai, B.J. **99**, 31
Burton, F., see Wogensen, L. **98**, 33
Butler, A.A., Ambler, G.R., Breier, B.H., LeRoith, D., Roberts, Jr., C.T., Gluckman, P.D., Growth hormone (GH) and insulin-like growth factor-I (IGF-I) treatment of the GH-deficient dwarf rat: differential effects on IGF-I transcription start site expression in hepatic and extrahepatic tissues and lack of effect on type I IGF receptor mRNA expression **101**, 321
Byatt, J.C., see Romagnolo, D. **102**, 131
Bylemans, D., see Hua, Y.-J. **104**, R1

Cameron, K.J., see Tuckey, R.C. **105**, 103
Cameron, K.J., see Tuckey, R.C. **105**, 123
Canipari, R., see Apa, R. **99**, 153
Canipari, R., see Apa, R. **106**, 207
Cann, C.L., see Granger, N.A. **103**, 73
Canning, S.F., see Leighton, J.K. **106**, 75
Capitanio, G., see Andreani, C.L. **106**, 91
Cardinaud, B., see Quérat, B. **102**, 151
Carr, B.R., see Sawetawan, C. **99**, 161
Carrillo, A.J., see Signs, S.A. **105**, 183
Caruso, A., see Apa, R. **99**, 153
Caruso, A., see Apa, R. **106**, 207
Casamitjana, R., see Fernández-Alvarez, J. **103**, 49
Casella S.J., see Cooke, D.W. **101**, 77
Cassorla, F.G., see Domené, H.M. **103**, 81
Casteels, R., see Missiaen, L. **98**, 147
Chambaz, E.M., see Negoescu, A. **105**, 155
Chambaz, E.M., see Pellerin, S. **106**, 181
Chang, W., see Lin, T. **101**, 111
Charles, AC., see Sanderson, M.J. **98**, 173
Charles, G.D., see Conliffe, P.R. **106**, 121
Chatterjee, D., see Han, Z. **99**, 293
Chauvin, M.A., see Besset, V. **99**, 251
Chen, H., see Liu, Y. **103**, 149
Chen, X.-h., see Yan, G.-z. **101**, R5
Cheng, C.Y., see Zwain, I.H. **104**, 213
Cherqui, G., see Zachayus, J.-L. **105**, 11
Chien, C.-H., Wang, F.-F., Hamilton, T.C., Transcriptional activation of c-*myc* proto-oncogene by estrogen in human ovarian cancer cells **99**, 11
Chiu, J.-F., see Liu, Y. **103**, 149
Chiu, R., see Monnier, D. **104**, 139
Chopra, I., see Pekary, A.E. **101**, R1
Christ, M., Sippel, K., Eisen, C., Wehling, M., Non-classical receptors for aldosterone in plasma membranes from pig kidneys **99**, R1
Christin-Maitre, S., see Albanese, C. **101**, 211
Christophe, D., Pichon, B., DNA methylation and gene activity: towards the end of the debate? **100**, 155
Chrousos, G.P., see Patchev, V.K. **103**, 57
Clements, J.A., The human kallikrein gene family: a diversity of expression and function **99** C, 1
Cohen, R., see Horn, S. **105**, 139
Collette, J., see Besset, V. **99**, 251
Combest, W.L., see Song, Q. **99**, 1
Cone, R.D., see Mountjoy, K.G. **99**, R7
Conliffe, P.R., Farmerie, W.G., Charles, G.D., Buhi, W.C., Kelly, P.A., Simmen, R.C.M., Shiverick, K.T., Expression and characterization of recombinant rat placental prolactin-like protein C **106**, 121

Contempre, B., see Dumont, J.E. **100**, 163
Conti, M., see Hamil, K.G. **99**, 269
Conti, M., see Sette, C. **100**, 75
Cooke, B.A., see Michael, A.E. **100**, 55
Cooke, D.W., Casella S.J., The 5′-untranslated region of the IGF-I receptor gene modulates reporter gene expression by both pre- and post-transcriptional mechanisms **101**, 77
Coquil, J.-F., see Mauger, J.-P. **98**, 133
Cordera, R., see Laurino, C. **104**, 147
Corin, R.E., see Sonenberg, M. **99**, 193
Cormont, M., Tanti, J.-F., Van Obberghen, E., Le Marchand-Brustel, Y., Expression of guanine-nucleotide-binding proteins in lean and obese insulin-resistant mice **99**, 169
Corrèze, C., see Dib, K. **99**, 229
Corvilain, B., see Dumont, J.E. **100**, 163
Corvol, P., see Konoshita, T. **99**, 307
Costante, G., see Prummel, M.F. **102**, 161
Couet, J., see Martel, C. **99**, 63
Cox, J.J., see Koehorst, S.G.A. **101**, 237
Crastes de Paulet, A., see Berthois, Y. **99**, 259
Crawford, R., see Tangalakis, K. **103**, 21
Cridland, J.C., see Johnstone, A.P. **105**, R1
Crowley, W.F., see Albanese, C. **101**, 211
Cunningham, J.M., Mabley, J.G., Delaney, C.A., Green, I.C., The effect of nitric oxide donors on insulin secretion, cyclic GMP and cyclic AMP in rat islets of Langerhans and the insulin-secreting cell lines HIT-TlS and RINm5F **102**, 23

D'Angelo, G., see Quérat, B. **102**, 151
DaCosta, C.R., see Johnstone, A.P. **105**, R1
Daily, O., see Amit, T. **101**, 29
Damke, H., Bouterfa, H., Braulke, T., Effects of insulin-like growth factor II on the generation of inositol trisphosphate, diacylglycerol and cAMP in human fibroblasts **99**, R5
Dankbar, B., see Gromoll, J. **102**, 93
Darbre, P., see Lee, A.V. **99**, 211
Dardenne, M., see Touraine, P. **104**, 183
Darimont, C., Gaillard, D., Ailhaud, G., Negrel, R., Terminal differentiation of mouse preadipocyte cells: adipogenic and antimitogenic role of triiodothyronine **98**, 67
Darimont, C., see Safonova, I. **104**, 201
Das, R.B., Biswas, R., Vonderhaar, B.K., Characteristics of a membrane-associated antilactogen binding site for tamoxifen **98**, 1
Daughaday, W., see Oakes, S.R. **99**, 125
Davidson, G., see McNulty, S. **99**, 73
Davidson, J.S., Flanagan, C.A., Becker, I.I., Illing, N., Sealfon, S.C., Millar, R.P., Molecular function of the gonadotropin-releasing hormone receptor: insights from site-directed mutagenesis **100**, 9
de Bessé, N., see Saïdi, B. **102**, 53
de Laat, S.W., see Kalkhoven, E. **102**, 45
de Launoit, Y., see Sanchez, R. **103**, 29
De Loof, A., see Hua, Y.-J. **104**, R1
de Moraes, M.d.C.L., see Touraine, P. **104**, 183
De Smedt, H., see Missiaen, L. **98**, 147
Deboel, L., see Hoeben, E. **101**, 263
Debuyser, A., see Drews, G. **105**, 97
DeGroot, L.J., see Miyamoto, T. **102**, 111
Delaney, C.A., see Cunningham, J.M. **102**, 23
Delaunay, F., see Pakdel, F. **104**, 81
Delehaye-Zervas, M.-C., see Villares, S.M.F. **106**, 51
Delemer, B., see Dib, K. **99**, 229
Delmas, V., Sassone-Corsi, P., The key role of CREM in the cAMP signaling pathway in the testis **100**, 121
Desai, B.J., Burrin, J.M., PACAP-38 positively regulates glycoprotein hormone α-gene expression in placental cells **99**, 31
Desvergne, B., How do thyroid hormone receptors bind to structurally diverse response elements? **100**, 125
DeVivo, M., Iyengar, R., G protein pathways: signal processing by effectors **100**, 65
Devor, D., see Kakar, S.S. **101**, 151
Dib, K., Delemer, B., El Jamali, A., Haye, B., Jacquemin, C., Corrèze, C., 12-*O*-Tetradecanoyl-phorbol-13-acetate (TPA) counteracts the cAMP up-regulation of the expression of the stimulatory guanine nucleotide binding protein (Gsα) and Gsα messenger RNA in cultured pig thyroid cells **99**, 229
DiBattista, J.A., Martel-Pelletier, J., Morin, N., Jolicoeur, F.-C., Pelletier, J.-P., Transcriptional regulation of plasminogen activator inhibitor-1 expression in human synovial fibroblasts by prostaglandin E_2: mediation by protein kinase A and role of interleukin-1 **103**, 139
DiMattia, G.E., see Lazier, C.B. **106**, 187
Dion, L.D., see Stankovic, A.K. **99**, 145
Dirksen, E.R., see Sanderson, M.J. **98**, 173
Disatnik, M.-H., see Garcia-Navarro, S. **103**, 133
Djiane, J., see Edery, M. **102**, 39
Djiane, J., see Genty, N. **99**, 221
Domené, H.M., Marín, G., Sztein, J., Yu, Y.M., Baron, J., Cassorla, F.G., Estradiol inhibits growth hormone receptor gene expression in rabbit liver **103**, 81
Domínguez, P., Antolín, I., Boga, J.A., Uría, H., Menéndez-Peláez, A., Androgen regulation of gene expression in the Syrian hamster Harderian gland **106**, 81
Dong, K.-W., see Yu, K.-L. **102**, 85
Donker, G.H., see Koehorst, S.G.A. **101**, 237
Dorin, R.I., see Groenhout, E.G. **99**, 81
Drews, G., Debuyser, A., Henquin, J.-C., Significance of membrane repolarization and cyclic AMP changes in mouse pancreatic B-cells for the inhibition of insulin release by galanin **105**, 97
Driggers, P.H., see Medin, J.A. **105**, 27
Drop, S.L.S., see Schuller, A.G.P. **104**, 57
Dudley, K., see O'Shaughnessy, P.J. **101**, 197
Dumont, J., see Parma, J. **100**, 159
Dumont, J.E., Corvilain, B., Contempre, B., The biochemistry of endemic cretinism: roles of iodine and selenium deficiency and goitrogens **100**, 163
Dumont, J.E., see Ledent, C. **100**, 167
Dumont, J.E., see Panneels, V. **102**, 167
Dumont, J.E., see Panneels, V. **106**, 41
Duncan, L.J., see Macdiarmid, F. **106**, 17
Duprez, L., see Parma, J. **100**, 159
Duquenne, C., see Lefèvre, A. **106**, 31
Durocher, F., see Sanchez, R. **103**, 29
Dushnik, M., see Hurwitz, A. **101**, 307
Dussert, C., see Berthois, Y. **99**, 259

Ebersohl, R., see Granger, N.A. **103**, 73
Edery, M., Levi-Meyrueis, C., Paly, J., Kelly, P.A., Djiane, J., A limited cytoplasmic region of the prolactin receptor critical for signal transduction **102**, 39
Edery, M., see Genty, N. **99**, 221
Eggo, M.C., Sheppard, M.C., Autocrine growth factors produced in the thyroid **100**, 97
Eisen, A., see Linder, B. **105**, 111
Eisen, C., see Christ, M. **99**, R1
Eizirik, D.L., see Velloso, L.A. **102**, 31
Eizirik, D.L., see Niemann, A. **106**, 151
Ekokoski, E., Forss, L., Törnquist, K., Inhibitory action of fatty acids on calcium fluxes in thyroid FRTL-5 cells, 125
Ekokoski, E., see Törnquist, K. **102**, 103
El Jamali, A., see Dib, K. **99**, 229
El-Husseini, A.E.-D., Paterson, J.A., Shiu, R.P.C., Basic fibroblast growth factor (BFGF) and two of its receptors, FGFR1 and FGFR2: gene expression in the rat brain during postnatal development as determined by quantitative RT-PCR **104**, 191

Emtner, M., see Möller, C. **99**, 111
Engler, D., see Liu, J.-P. **101**, 173
Engler, D., see Liu, J.-P. **101**, 247
Engler, D., see Liu, J.-P. **105**, 217
Ennis, G., see Oakes, S.R. **99**, 125
Erneux, C., see Verjans, B. **98**, 167
Eskola, V., Rannikko, A., Huhtaniemi, I., Warren, D.W., Ontogeny of the inhibitory guanine nucleotide-binding regulatory protein in the rat testis: mRNA expression and modulation of LH and FSH action **102**, 63
Esposito, N., Paterlini, P., Kelly, P.A., Postel-Vinay, M.-C., Finidori, J., Expression of two isoforms of the human growth hormone receptor in normal liver and hepatocarcinoma **103**, 13
Esquenet, M., see Swinnen, J.V. **104**, 153
Ethier, J.-F., Houde, A., Lussier, J.G., Silversides, D.W., Bovine activin receptor type II cDNA: cloning and tissue expression **106**, 1
Evain-Brion, D., see Roulier, S. **105**, 165
Eyal, R., see Garcia-Navarro, S. **103**, 133

Fan, N.C., Jeung, E.-B., Peng, C., Olofsson, J.I., Krisinger, J., Leung, P.C.K., The human gonadotropin-releasing hormone (GnRH) receptor gene: cloning, genomic organization and chromosomal assignment **103**, R1
Farmerie, W.G., see Conliffe, P.R. **106**, 121
Feige, J.-J., see Negoescu, A. **105**, 155
Feige, J.-J., see Pellerin, S. **106**, 181
Feliers, D., see Abdelkhalek, M.B. **99**, 103
Félix, J.M., see René, F. **105**, 65
Feltz, P., see Monnier, D. **104**, 139
Fernández-Alvarez, J., Tomás, C., Casamitjana, R., Gomis, R., Nuclear response of pancreatic islets to interleukin-1β **103**, 49
Fernández-Moreno, M.D., see Santos, A. **101**, 85
Ferrara, P., see Papadopoulos, V. **104**, R5
Fillion, C., Tahri-Joutei, A., Hugues, J.N., Allevard, A.M., Taïb, N., Pointis, G., Presence in mouse Sertoli cell-conditioned medium of a factor that expresses AVP-like inhibition of steroidogenesis by mouse Leydig cells in long-term culture **99**, 25
Finaz, C., see Lefèvre, A. **106**, 31
Finci-Yeheskel, Z., see Hurwitz, A. **101**, 307
Finidori, J., see Esposito, N. **103**, 13
Fischer, J.A., see Muff, R. **100**, 35
Fischer, J.A., see Kaufmann, M. **104**, 21
Flanagan, C.A., see Davidson, J.S. **100**, 9
Flint, A.P.F., Guesdon, F.M.J., Stewart, H.J., Regulation of trophoblast interferon gene expression **100**, 93
Forss, L., see Törnquist, K. **102**, 103
Forss, L., see Ekokoski, E. **103**, 125
Franchimont, P., see Besset, V. **99**, 251
Frank, H.J.L., see Hu, R.-M. **103**, 65
Frankenne, F., see Marcotty, Ch. **99**, 237
Funa, K., see Velloso, L.A. **102**, 31
Funder, J.W., see Liu, J.-P. **101**, 173
Funder, J.W., see Liu, J.-P. **101**, 247
Funder, J.W., see Liu, J.-P. **105**, 217
Fusco, A., see Sesti, G. **101**, 121
Fusco, A., see Borboni, P. **103**, 157

Gagné, D., see Martel, C. **99**, 63
Gagné, D., see Martel, C. **104**, 103
Gaillard, D., see Darimont, C. **98**, 67
Galione, A., Cyclic ADP-ribose, the ADP-ribosyl cyclase pathway and calcium signalling **98**, 125
Gao, J.-G., Mazella, J., Tseng, L., Activation of the human IGFBP-1 gene promoter by progestin and relaxin in primary culture of human endometrial stromal cells **104**, 39
Garach-Jehoshua, O., see Rocker, D. **106**, 157
Garcia, M.A., see Turner, K.O. **101**, 221
Garcia-Arenas, R., see Lin, M.-F. **99**, R1
Garcia-Navarro, S., Marantz, Y., Eyal, R., Kalina, M., Disatnik, M.-H., Mochly-Rosen, D., Ben-Menahem, D., Reiss, N., Naor, Z., Developmental expression of protein kinase C subspecies in rat brain-pituitary axis **103**, 133
Gasc, J.-M., see Konoshita, T. **99**, 307
Gautier, C., Levacher, C., Avallet, O., Vigier, M., Rouiller-Fabre, V., Lecerf, L., Saez, J., Habert, R., Immunohistochemical localization of transforming growth factor-β_1 in the fetal and neonatal rat testis **99**, 55
Gen, K., Hirai, T., Kato, T., Kato, Y., Presence of the same transcript of pro-opiomelanocortin (POMC) genes in the porcine anterior and intermediate pituitary lobes **103**, 101
Genty, N., Paly, J., Edery, M., Kelly, P.A., Djiane, J., Salesse, R., Endocytosis and degradation of prolactin and its receptor in Chinese hamster ovary cells stably transfected with prolactin receptor cDNA **99**, 221
George, F.W., see Bentvelsen, F.M. **105**, 21
Georgiev, V.D., see Martinova, Y.S. **98**, 75
Gérard, C., Verrier, B., Mauchamp, J., Penel, C., Thyrotropin regulation of basolateral Cl^- and I^- effluxes in thyroid follicles in culture **106**, 195
Gertler, A., see Horn, S. **105**, 139
Ghilchik, M.W., see Macdiarmid, F. **106**, 17
Giannini, P., see Andreani, C.L. **106**, 91
Gilbert, L.I., see Song, Q. **99**, 1
Gillespie, M.T., Martin, T.J., The parathyroid hormone-related protein gene and its expression **100**, 143
Gillespie, M.T., see Glatz, J.A. **101**, 295
Giraud, P., see Monnier, D. **104**, 139
Glatz, J.A., Heath, J.K., Southby, J., O'Keeffe, L.M., Kiriyama, T., Moseley, J.M., Martin, T.J., Gillespie, M.T., Dexamethasone regulation of parathyroid hormone-related protein (PTHrP) expression in a squamous cancer cell line **101**, 295
Glenn, K.C., see Warren, W.C. **98**, 27
Gluckman, P.D., see Butler, A.A. **101**, 321
Goforth, D.P., see Murono, E.P. **98**, 81
Goglia, F., see Lanni, A. **99**, 89
Gomis, R., see Fernández-Alvarez, J. **103**, 49
Gordon, D.A., see Lazier, C.B. **106**, 187
Gorin, Y., see Ohayon, R. **99**, 133
Gorski, J., see Ying, C. **99**, 183
Goujon, L., see Villares, S.M.F. **106**, 51
Gourdji, D., Laverrière, J.-N., The rat prolactin gene: a target for tissue-specific and hormone-dependent transcription factors **100**, 133
Gourlet, P., see Van Eylen, F. **106**, R1
Gout, P.W., see Buckley, A.R. **98**, 17
Grammatopoulos, D., Milton, N.G.N., Hillhouse, E.W., The human myometrial CRH receptor: G proteins and second messengers **99**, 245
Grandison, L., Nolan, G.P., Pfaff, D.W., Activation of the transcription factor NF-KB in GH_3 pituitary cells **106**, 9
Granger, N.A., MacDonald, J.D., Menold, M., Ebersohl, R., Hiruma, K., Cann, C.L., Riddiford, L.M., Evidence of a stimulatory effect of cyclic AMP on corpus allatum activity in *Manduca sexta* **103**, 73
Grantham, K., see Kakar, S.S. **101**, 151
Green, I.C., see Cunningham, J.M. **102**, 23
Green, S., Wahli, W., Peroxisome proliferator-activated receptors: finding the orphan a home **100**, 149
Griffin, D., Minth, C.D., Taylor, W.L., Isolation and characterization of the *Xenopus laevis* cDNA and genomic homologs of neuropeptide Y **101**, 1
Grimaldi, P., see Safonova, I. **104**, 201
Grimes, R.W., see Leighton, J.K. **106**, 75
Grizzle, W.E., see Kakar, S.S. **106**, 145
Grodsky, G.M., see Wogensen, L. **98**, 33

Groenhout, E.G., Dorin, R.I., Generalized thyroid hormone resistance due to a deletion of the carboxy terminuz of the c-erbA β receptor **99**, 81
Groffen, C., see Schuller, A.G.P. **104**, 57
Gromoll, J., Dankbar, B., Gudermann, T., Characterization of the 5′ flanking region of the human follicle-stimulating hormone receptor gene **102**, 93
Groner, B., Altiok, S., Meier, V., Hormonal regulation of transcription factor activity in mammary epithelial cells **100**, 109
Groner, B., see Messerle, K. **105**, 1
Grootegoed, J.A, see Themmen, A.P.N. **100**, 15
Grootegoed, J.A., Baarends, W.M., Themmen, A.P.N., Welcome to the family: the anti-müllerian hormone receptor **100**, 29
Guan, Z., see Houmard, B.S. **104**, 113
Gudermann, T., see Gromoll, J. **102**, 93
Guesdon, F.M.J., see Flint, A.P.F. **100**, 93
Guller, S., see Sonenberg, M. **99**, 193

Habert, R., see Gautier, C. **99**, 55
Hacham, H., see Amit, T. **101**, 29
Hakovirta, H., Vierula, M., Wolpe, S.D., Parvinen, M., MIP-1α is a regulator of mitotic and meiotic DNA synthesis during spermatogenesis **99**, 119
Hall, S.H., see Hamil, K.G. **99**, 269
Hamil, K.G., Conti, M., Shimasaki, S., Hall, S.H., Follicle-stimulating hormone regulation of AP-1: inhibition of c-*jun* and stimulation of *jun-B* gene transcription in the rat Sertoli cell **99**, 269
Hamilton, T.C., see Chien, C.-H. **99**, 11
Hammond, J.M., see Leighton, J.K. **106**, 75
Han, Z., Chatterjee, D., Bakker, A., Wyche, J.H., Negative and positive regulation of IGF-II mRNA expression in cultured rat cells by chicken serum **99**, 293
Hanley, M.R., see Sharif, M. **100**, 115
Hansen, H.S., see Lauritzen, L. **104**, 229
Hansson, V., see Haugen, T.B. **105**, R9
Harding, P.A., Wang, X.Z., Kelder, B., Souza, S., Okada, S., Kopchick, J.J., In vitro mutagenesis of growth hormone receptor Asn-linked glycosylation sites **106**, 171
Hardy, A., see Quérat, B. **102**, 151
Harfst, E., Ross, M.S., Nussey, S.S., Johnstone, A.P., Production of antibodies to the human thyrotropin receptor and their use in characterising eukaryotically expressed functional receptor **102**, 77
Harfst, E., see Johnstone, A.P. **105**, R1
Harper, N., Wang, X., Liu, H., Safe, S., Inhibition of estrogen-induced progesterone receptor in MCF-7 human breast cancer cells by aryl hydrocarbon (Ah) receptor agonists **104**, 47
Harris, S., see Linder, B. **105**, 111
Hastings, M.H., see McNulty, S. **99**, 73
Hata, J., see Ikeshima, H. **99**, 49
Hattori, M.-a., see Kanzaki, M. **101**, 95
Haug, E., see Sørnes, G. **101**, 183
Haugen, T.B., Landmark, B.F., Josefsen, G.M., Hansson, V., Högset, A., The mature form of interleukin-1α is constitutively expressed in immature male germ cells from rat **105**, R9
Hayashizaki, Y., see Maki, K. **105**, 147
Haye, B., see Abdelkhalek, M.B. **99**, 103
Haye, B., see Dib, K. **99**, 229
Haynes, K.M., see Oakes, S.R. **99**, 125
Heath, J.K., see Glatz, J.A. **101**, 295
Heinz-Erian, P., see Hoeflich, A. **101**, 141
Helliwell, R.J.A., Howell, H.E., Lawson, W., Barrett, P., Morgan, P.J., Autoradiographic anomaly in ^{125}I-melatonin binding revealed in ovine adrenal **104**, 95
Hennen, G., see Marcotty, Ch. **99**, 237
Henquin, J.-C., see Drews, G. **105**, 97
Herchuelz, A., see Van Eylen, F. **106**, R1
Herington, A.C., see Oakes, S.R. **99**, 125
Herington A.C., New frontiers in the molecular mechanisms of growth hormone action **100**, 39
Hershman, J.M., see Pekary, A.E. **101**, R1
Hertz, P., see Amit, T. **101**, 29
Heyns, W., see Hoeben, E. **101**, 263
Heyns, W., see Swinnen, J.,V. **104**, 153
Hillhouse, E.W., see Grammatopoulos, D. **99**, 245
Hillier, S.G., Whitelaw, P.F., Smyth, C.D., Follicular oestrogen synthesis: the 'two-cell, two-gonadotrophin' model revisited **100**, 51
Hilly, M., see Mauger, J.-P. **98**, 133
Hindelang, C., see René, F. **105**, 65
Hirai, T., see Gen, K. **103**, 101
Hiruma, K., see Granger, N.A. **103**, 73
Hochberg Z., see Amit, T. **101**, 29
Hoeben, E., Deboel, L., Rombauts, L., Heyns, W., Verhoeven, G., Different cells and cell lines produce factors that modulate Sertoli cell function **101**, 263
Hoeflich, A., Yang, Y., Kessler, U., Heinz-Erian, P., Kolb, H., Kiess, W., Human colon carcinoma cells (CaCo-2) synthesize IGF-II and express IGF-I receptors and IGF-II/M6P receptors **101**, 141
Högset, A., see Haugen, T.B. **105**, R9
Hollenberg, A.N., Pestell, R.G., Albanese, C., Boers, M.-E., Jameson, J.L., Multiple promoter elements in the human chorionic gonadotropin β subunit genes distinguish their expression from the luteinizing hormone β gene **106**, 111
Horiuchi, R., see Kanzaki, M. **101**, 95
Horn, S., Cohen, R., Gertler, A., Regulation of heat-shock protein (hsp70) gene expression by hGH and IL2 in rat Nb2 lymphoma cells **105**, 139
Horst, R.L., see Reinhardt, T.A. **101**, 159
Horton, R., see Wahe, M. **98**, 55
Houde, A., see Ethier, J.-F. **106**, 1
Houmard, B.S., Guan, Z., Stokes, B.T., Ottobre, J.S., The effects of gonadotropin on the phosphatidylinositol pathway in the primate corpus luteum **104**, 113
Howell, H.E., see Helliwell, R.J.A. **104**, 95
Hu, R.-M., Wu, L.-M., Frank, H.J.L., Pedram, A., Levin, E.R., Insulin stimulates thyroid hormone receptor αgene expression in cultured bovine aortic endothelial cells **103**, 65
Hua, Y.-J., Bylemans, D., De Loof, A., Koolman, J., Inhibition of ecdysone biosynthesis in flies by a hexapeptide isolated from vitellogenic ovaries **104**, R1
Huber, P.R., see Spanel-Borowski, K. **104**, 11
Hugues, J.N., see Fillion, C. **99**, 25
Huhtaniemi, I., see Eskola, V. **102**, 63
Huhtaniemi, I.T., see Pakarinen, P. **101**, 37
Hurwitz, A., Finci-Yeheskel, Z., Dushnik, M., Milwidsky, A., Ben-Chetrit, A., Yagel, S., Adashi, E.Y., Mayer, M., Cytokine-mediated regulation of rat ovarian function: interleukin-1 inhibits plasminogen activator activity through the induction of plasminogen activator inhibitor-1 (PAI-1) **101**, 307
Husen, B., see Leenders, F. **104**, 127
Hynes, N.E., see Messerle, K. **105**, 1

Iino, M., Tsukioka, M., Feedback control of inositol trisphosphate signalling by calcium **98**, 141
Ikebuchi, H., see Saito, Y. **106**, 67
Ikeshima, H., Shimoda, K., Matsuo, K., Hata, J., Maejima, K., Takano, T., Spermatocyte-specific transcription by calmodulin gene II promoter in transgenic mice **99**, 49
Ikonomovic, M.D., see Papadopoulos, V. **104**, R5
Illing, N., see Davidson, J.S. **100**, 9
Im, W.B., see Blackmore, P.F. **104**, 237
Isaacs, L.A., see Brooks, C.L. **99**, 301
Ito, Y., see Watanabe, Y. **103**, 115
Itoh, N., see Asakai, R. **104**, 75
Ivell, R., see Veldhuizen-Tsoerkan, M.B. **105**, 37

Iwanij, V., Amos, T.M., Billington, C.J., Identification and characterization of the glucagon receptor from adipose tissue **101**, 257
Iyengar, R., see DeVivo, M.**100**, 65

Jacob, C.S., see Sizer, K.M. **102**, 119
Jacob, C.S., see Sizer, K.M. **103**, 1
Jacoby, C., see Panneels, V. **102**, 167
Jacoby, C., see Panneels, V. **106**, 41
Jacquemin, C., see Dib, K. **99**, 229
Jaillard, C., see Penhoat, A. **103**, R7
Jaillard, C., see Naville, D. **106**, 131
Jaillard, C., see Lebrethon, M.C. **106**, 137
Jakubowski, M., see Yu, K.-L. **102**, 85
Jameson, J.L., see Albanese, C. **101**, 211
Jameson, J.L., see Hollenberg, A.N. **106**, 111
Jaworski, E., see Wagner, G.F. **99**, 315
Jeffrey, J.J., see Wilcox, B.D. **101**, 67
Jeung, E.-B., see Fan, N.C. **103**, R1
Jiang, L.G., Sairam, M.R., Topographical differences in human chorionic gonadotropin antagonist as revealed by monoclonal antibodies **99**, 201
Jiang, P., Arinze, I.J., Developmental and glucocorticoid modulation of the expression of mRNAs for $G_{s\alpha}$and G_{β} subunits in neonatal liver **99**, 95
Johnstone, A.P., see Harfst, E. **102**, 77
Johnstone, A.P., Cridland, J.C., DaCosta, C.R., Harfst, E., Shepherd, P.S., Monoclonal antibodies that recognize the native human thyrotropin receptor **105**, R1
Jolicoeur, F.-C., see DiBattista, J.A. **103**, 139
Josefsen, G.M., see Haugen, T.B. **105**, R9
Jungblut, P.W., see Bökenkamp, D. **104**, 163
Jüppner, H., see McCauley, L.K. **101**, 331

Kah, O., see Pakdel, F. **104**, 81
Kaipia, A., see Penttillä, T.-L. **105**, 55
Kakar, S.S., Grantham, K., Musgrove, L.C., Devor, D., Sellers, J.C., Neill, J.D., Rat gonadotropin-releasing hormone (GnRH) receptor: tissue expression and hormonal regulation of its mRNA **101**, 151
Kakar, S.S., Grizzle, W.E., Neill, J.D., The nucleotide sequences of human GnRH receptors in breast and ovarian tumors are identical with that found in pituitary **106**, 145
Kalina, M., see Garcia-Navarro, S. **103**, 133
Kalkhoven, E., Kwakkenbos-Isbrücker, L., de Laat, S.W., van der Saag, P.T., van der Burg, B., Synthetic progestins induce proliferation of breast tumor cell lines via the progesterone or estrogen receptor **102**, 45
Kämpe, O., see Velloso, L.A. **102**, 31
Kancheva, L.S., see Martinova, Y.S. **98**, 75
Kanzaki, M., Hattori, M.-a., Horiuchi, R., Kojima, I., Basic fibroblast growth factor induces luteinizing hormone receptor expression in the presence of insulin-like growth factor-I in ovarian granulosa cells **101**, 95
Karl, M., see Patchev, V.K. **103**, 57
Karlsson, F.A., see Velloso, L.A. **102**, 31
Kasai, N., see Maki, K. **105**, 147
Kasson, B.G., see Ness, J.M. **106**, 163
Kasuga, F., see Shiota, K. **101**, 315
Kato, T., see Gen, K. **103**, 101
Kato, Y., see Gen, K. **103**, 101
Kaufmann, M., Muff, R., Born, W., Fischer, J.A., Functional expression of a stably transfected parathyroid hormone/parathyroid hormone related protein receptor complementary DNA in CHO cells **104**, 21
Kaufmann, M., see Muff, R. **100**, 35
Kelder, B., see Harding, P.A. **106**, 171
Kelly, P.A., see Genty, N. **99**, 221
Kelly, P.A., see Edery, M. **102**, 39
Kelly, P.A., see Esposito, N. **103**, 13
Kelly, P.A., see Touraine, P. **104**, 183
Kelly, P.A., see Smirnova, O.V. **105**, 77
Kelly, P.A., see Conliffe, P.R. **106**, 121
Kessler, U., see Hoeflich, A. **101**, 141
Kiess, W., see Hoeflich, A. **101**, 141
Kikuchi, T., Koyama, M., Miyai, K., Kimura, T., Nishikiori, N., Kimura, T., Azuma, C., Kusunoki, M., Saji, F., Tanizawa, O., Loss of biological activity of human chorionic gonadotropin (hCG) by the amino acid substitution on the "CMGCC" region of the α-subunit **102**, 1
Kimura, T., see Kikuchi, T. **102**, 1
King, R.J.B., see Lee, A.V. **99**, 211
King, R.J.B., see Padwick, M.L. **102**, 9
Kiriyama, T., see Glatz, J.A. **101**, 295
Kleincknecht, C., see Villares, S.M.F. **106**, 51
Kloppenburg, M., see Schippers, I.J. **105**, 175
Koehorst, S.G.A., Cox, J.J., Donker, G.H., Lopes da Silva, S., Burbach, J.P.H., Thijssen, J.H.H., Blankenstein, M.A., Functional analysis of an alternatively spliced estrogen receptor lacking exon 4 isolated from MCF-7 breast cancer cells and meningioma tissue **101**, 237
Kojima, I., see Kanzaki, M. **101**, 95
Kolb, H., see Hoeflich, A. **101**, 141
Kon, Y., see Maki, K. **105**, 147
Konoshita, T., Gasc, J.-M., Villard, E., Takeda, R., Seidah, N.G., Corvol, P., Pinet, F., Expression of PC2 and PC1/PC3 in human pheochromocytomas **99**, 307
Koolman, J., see Hua, Y.-J. **104**, R1
Kopchick, J.J., see Harding, P.A. **106**, 171
Koren, R., see Rocker, D. **106**, 157
Kostadinovic, Z., see Tuckey, R.C. **105**, 103
Kotoyori, J., see Watanabe, Y. **103**, 115
Koyama, M., see Kikuchi, T. **102**, 1
Kozawa, O., see Watanabe, Y. **103**, 115
Kozawa, O., see Suzuki, A. **105**, 193
Kraaij, R., see Themmen, A.P.N. **100**, 15
Krisinger, J., Setoyama, T., Leung, P.C.K., Expression of calbindin-D_{9k} in the early pregnant rat uterus: effects of RU 486 and correlation to estrogen receptor mRNA **102**, 15
Krisinger, J., see Fan, N.C. **103**, R1
Krozowski, Z.S., see Albiston, A.L. **105**, R1
Krummen, L.A., see Moore, A. **100**, 81
Kuil, C.W., Mulder, E., Mechanism of antiandrogen action: conformational changes of the receptor **102**, R1
Kuiper, G.G.J.M., Brinkmann, A.O., Steroid hormone receptor phosphorylation: is there a physiological role? **100**, 103
Kusunoki, M., see Kikuchi, T. **102**, 1
Kwakkenbos-Isbrücker, L., see Kalkhoven, E. **102**, 45

Labat-Moleur, F., see Negoescu, A. **105**, 155
Labrie, F., see Martel, C. **99**, 63
Labrie, F., see Bernier, F. **99**, R1
Labrie, F., see Sanchez, R. **103**, 29
Labrie, F., see Martel, C. **104**, 103
Labrie, Y., see Martel, C. **99**, 63
Lachaise, F., see Saïdi, B. **102**, 53
Lackner-Arkin, C., see Yu, K.-L. **102**, 85
Lafeuillade, B., see Pellerin, S. **106**, 181
Lafond, J., Simoneau, L., Savard, R., Lajeunesse, D., Calcitonin receptor in human placental syncytiotrophoblast brush border and basal plasma membranes **99**, 285
Lajeunesse, D., see Lafond, J. **99**, 285
Lakkakorpi, J.T., Rajaniemi, H.J., Regulation of intracellular free Ca^{2+} by the LH/CG receptor in an established cell line 293 expressing transfected rat receptor **99**, 39
Landmark, B.F., see Haugen, T.B. **105**, R9

Lanni, A., Moreno, M., Lombardi, A., Goglia, F., Rapid stimulation in vitro of rat liver cytochrome oxidase activity by 3,5-diiodo-L-thyronine and by 3,3′-diiodo-L-thyronine **99**, 89
Lanting, L., see Natarajan, R. **101**, 59
Lanzone, A., see Apa, R. **99**, 153
Lanzone, A., see Andreani, C.L. **106**, 91
Lanzone, A., see Apa, R. **106**, 207
Larsen, T.H., see Skar, R. **106**, 213
Larsson, R., see Sjöholm, Å. **103**, 89
Laurino, C., Bertolini, S., Cordera, R., Linkage analysis does not support a role for glucokinase gene in the aetiology of type 2 diabetes mellitus among North Western Italians **104**, 147
Lauritzen, L., Nielsen, L.-L.A., Vinggaard, A.M., Hansen, H.S., Agents that increase phosphatidic acid inhibit the LH-induced testosterone production **104**, 229
Lauro, R. see Sesti, G., **101**, 121
Lauro, R., see Borboni, P. **103**, 157
Laverrière, J.-N., see Gourdji, D. **100**, 133
Lawson, W., see McNulty, S. **99**, 73
Lawson, W., see Helliwell, R.J.A. **104**, 95
Lazier, C.B., Wiktorowicz, M., DiMattia, G.E., Gordon, D.A., Binder, R., Williams, D.L., Apolipoprotein (apo) B and apoII gene expression are both estrogen-responsive in chick embryo liver but only apoII is estrogen-responsive in kidney **106**, 187
Lazzarin, N., see Andreani, C.L. **106**, 91
Le Marchand-Brustel, Y., see Cormont, M. **99**, 169
Lebrethon, M.C., Jaillard, C., Naville, D., Bégeot, M., Saez, J.M., Regulation of corticotropin and steroidogenic enzyme mRNAs in human fetal adrenal cells by corticotropin, angiotensin-II and transforming growth factor β_1 **106**, 137
Lebrethon, M.C., see Naville, D. **106**, 131
Lebrun, P., see Van Eylen, F. **106**, R1
Lecerf, L., see Gautier, C. **99**, 55
Ledent, C., Parmentier, M., Vassart, G., Dumont, J.E., Models of thyroid goiter and tumors in transgenic mice **100**, 167
Lee, A.V., Darbre, P., King, R.J.B., Processing of insulin-like growth factor-II (IGF-II) by human breast cancer cells **99**, 211
Lee, I.J., see Medin, J.A. **105**, 27
Lee, P.-C., Mao, X.-C., Thyroxine control of pancreatic amylase gene expression: modulation of PTF1 binding activity **101**, 287
Leenders, F., Husen, B., Thole, H.H., Adamski, J., The sequence of porcine 80 kDa 17β-estradiol dehydrogenase reveals similarities to the short chain alcohol dehydrogenase family, to actin binding motifs and to sterol carrier protein 2 **104**, 127
Lefèvre, A., Rogier, E., Astraudo, C., Duquenne, C., Finaz, C., Regulation by retinoids of luteinizing hormone/chorionic gonadotropin receptor, cholesterol side-chain cleavage cytochrome P-450, 3β-hydroxysteroid dehydrogenase/Δ^{5-4}-isomerase and 17α-hydroxylase/C_{17-20} lyase cytochrome P-450 messenger ribonucleic acid levels in the K9 mouse Leydig cell line **106**, 31
Leighton, J.K., Grimes, R.W., Canning, S.F., Hammond, J.M., IGF-binding proteins are differentially regulated in an ovarian granulosa cell line **106**, 75
LeRoith, D., see Butler, A.A. **101**, 321
Leung, P.C.K., see Olofsson, J. **100**, 87
Leung, P.C.K., see Krisinger, J. **102**, 15
Leung, P.C.K., see Fan, N.C. **103**, R1
Levacher, C., see Gautier, C. **99**, 55
Levi-Meyrueis, C., see Edery, M. **102**, 39
Levin, E.R., see Hu, R.-M. **103**, 65
Lewintre, E.J., Orava, M., Peltoketo, H., Vihko, R., Characterization of 17β-hydroxysteroid dehydrogenase type 1 in choriocarcinoma cells: regulation by basic fibroblast growth factor **104**, 1
Liang, H., see Buckley, A.R. **98**, 17
Liberman, U.A., see Rocker, D. **106**, 157
Lièvremont, J.-P., see Mauger, J.-P. **98**, 133
Lin, L., see Liu, Y. **104**, 173
Lin, M.-F., Garcia-Arenas, R., Effect of cell density on androgen regulation of the mRNA level of human prostatic acid phosphatase **99**, R1
Lin, T., Wang, D., Nasnal, M.L., Chang, W., Recombinant murine tumor necrosis factor-alpha inhibits cholesterol side-chain cleavage cytochrome P450 and insulin-like growth factor-I gene expression in rat Leydig cells **101**, 111
Lin, Y.C., see Uzumcu, M. **105**, 209
Linder, B., Harris, S., Eisen, A., Nissley, P., Evidence against roles for pertussis toxin sensitive G proteins or diacylglycerol generation in insulin-like growth factor-I stimulated DNA synthesis in MG-63 osteosarcoma cells **105**, 111
Liu, B., see Signs, S.A. **105**, 183
Liu, H., see Harper, N. **104**, 47
Liu, J.-P., Robinson, P.J., Funder, J.W., Engler, D., A comparative study of the role of adenylate cyclase in the release of adrenocorticotropin from the ovine and rat anterior pituitary **101**, 173
Liu, J.-P., Engler, D., Funder, J.W., Robinson, P.J., Arginine vasopressin (AVP) causes the reversible phosphorylation of the myristoylated alanine-rich C kinase substrate (MARCKS) protein in the ovine anterior pituitary: evidence that MARCKS phosphorylation is associated with adrenocorticotropin (ACTH) secretion **101**, 247
Liu, J.-P., Engler, D., Funder, J.W., Robinson, P.J., Arginine vasopressin (AVP) causes the reversible phosphorylation of the myristoylated alanine-rich C kinase substrate (MARCKS) protein in the ovine anterior pituitary: evidence that MARCKS phosphorylation is associated with adrenocorticotropin (ACTH) secretion (corrected version) **105**, 217
Liu, J.-P., Studies of the mechanisms of action of corticotropin-releasing factor (CRF) and arginine vasopressin (AVP) in the ovine anterior pituitary: evidence that CRF and AVP stimulate protein phosphorylation and dephosphorylation **106**, 57
Liu, Y., Teng, C.T., Identification of the estrogen sensitive marker in human endometrial carcinoma RL95-2 cells **101**, 167
Liu, Y., Chen, H., Chiu, J.-F., Identification of a retinoic acid response element upstream of the rat α-fetoprotein gene, **103**, 149
Liu, Y., Lin, L., Zarnegar, R., Modulation of hepatocyte growth factor gene expression by estrogen in mouse ovary **104**, 173
Loeffler, J.P., see Monnier, D. **104**, 139
Loir, M., In vitro approach to the control of spermatogonia proliferation in the trout **102**, 141
Lombardi, A., see Lanni, A. **99**, 89
Longhi, R., see Sesti, G. **101**, 121
Lopes da Silva, S., van Helvoort, A., Burbach, J.P.H., The human vasopressin-oxytocin gene family: no evidence for addition neurophysin-related genes **98**, 61
Lopes da Silva, S., see Koehorst, S.G.A. **101**, 237
Lussier, J.G., see Ethier, J.-F. **106**, 1
Luu-The, V., see Bernier, F. **99**, R1

Ma, Y.-H., see Wogensen, L. **98**, 33
Mabley, J.G., see Cunningham, J.M. **102**, 23
Macdiarmid, F., Wang, D., Duncan, L.J., Purohit, A., Ghilchik, M.W., Reed, M.J., Stimulation of aromatase activity in breast fibroblasts by tumor necrosis factor α **106**, 17
MacDonald, J.D., see Granger, N.A. **103**, 73
Maejima, K., see Ikeshima, H. **99**, 49
Mahfoudi, A., see Marilley, D. **101**, 227
Maki, K., Miyoshi, I., Kon, Y., Yamashita, T., Sasaki, N., Aoyama, S., Takahashi, E., Namioka, S., Hayashizaki, Y., Kasai, N., Targeted pituitary tumorigenesis using the human thyrotropin β-subunit chain promoter in transgenic mice **105**, 147
Mali, P., see Penttillä, T.-L. **105**, 55
Mancuso, S., see Apa, R. **99**, 153
Mancuso, S., see Andreani, C.L. **106**, 91
Mancuso, S., see Apa, R., **106**, 207

Manera, E., see Sesti, G. **101**, 121
Maniar, S., see Villares, S.M.F. **106**, 51
Manley, S.W., see Mitchell, A.M. **101**, 203
Mannan, M.A., see O'Shaughnessy, P.J. **104**, 133
Mao, X.-C., see Lee, P.-C. **101**, 287
Marantz, Y., see Garcia-Navarro, S. **103**, 133
Marcotty, Ch., Frankenne, F., Meuris, S., Hennen, G., Immunolocalization and expression of insulin-like growth factor I (IGF-I) in the mammary gland during rat gestation and lactation **99**, 237
Marilley, D., Mahfoudi, A., Wahli, W., Gene transfer into *Xenopus* hepatocytes: transcriptional regulation by members of the nuclear receptor superfamily **101**, 227
Marín, G., see Domené, H.M. **103**, 81
Marini, M.A., see Sesti, G. **101**, 121
Marlier, L.N.J.L., see Borboni, P. **103**, 157
Marsh, P., see O'Shaughnessy, P.J. **101**, 197
Martel, C., Gagné, D., Couet, J., Labrie, Y., Simard, J., Labrie, F., Rapid modulation of ovarian 3β-hydroxysteroid dehydrogenase/Δ^5-Δ^4 isomerase gene expression by prolactin and human chorionic gonadotropin in the hypophysectomized rat **99**, 63
Martel, C., Melner, M.H., Gagné, D., Simard, J., Labrie, F., Widespread tissue distribution of steroid sulfatase, 3β-hydroxysteroid dehydrogenase/Δ^5-Δ^4 isomerase (3β-HSD), 17β-HSD 5α-reductase and aromatase activities in the rhesus monkey **104**, 103
Martel-Pelletier, J., see DiBattista, J.A. **103**, 139
Martin, P.-M., see V **99**, 259
Martin, T.J., see Gillespie, M.T. **100**, 143
Martin, T.J., see Glatz, J.A. **101**, 295
Martini, J.-F., see Villares, S.M.F. **106**, 51
Martinova, Y.S., Kancheva, L.S., Nikolova, D.B., Georgiev, V.D., Differential effects of prepubertal rat Sertoli cell secreted proteins on somatic testicular and nontesticular cells **98**, 75
Mason, J.I., see Rainey, W.E. **100**, 45
Mastrandrea, M., see Apa, R. **106**, 207
Mather, J.P., see Moore, A. **100**, 81
Matsuo, H., see Ohyama, Y. **105**, 203
Matsuo, K., see Ikeshima, H. **99**, 49
Mauchamp, J., see Gérard, C. **106**, 195
Mauger, J.-P., Lièvremont, J.-P., Piétri-Rouxel, F., Hilly, M., Coquil, J.-F., The inositol 1,4,5-trisphosphate receptor: kinetic properties and regulation **98**, 133
Mayer, M., see Hurwitz, A. **101**, 307
Mazella, J., see Gao, J.-G. **104**, 39
McCauley, L.K., Beecher, C.A., Melton, M.E., Werkmeister, J.R., Jüppner, H., Abou-Samra, A.-B., Segre, G.V., Rosol, T.J., Transforming growth factor-β_1 regulates steady-state PTH/PTHrP receptor mRNA levels and PTHrP binding in ROS 17/2.8 osteosarcoma cells **101**, 331
McFarlane, A.C., see Tangalakis, K. **103**, 21
McLachlan, S.M., see Prummel, M.F. **102**, 161
McNulty, S., Morgan, P.J., Thompson, M., Davidson, G., Lawson, W., Hastings, M.H., Phospholipases and melatonin signal transduction in the ovine pars tuberalis **99**, 73
McPhaul, M.J., see Bentvelsen, F.M. **105**, 21
Medin, J.A., Minucci, S., Driggers, P.H., Lee, I.J., Ozato, K., Quantitative increases in DNA binding affinity and positional effects determine 9-*cis* retinoic acid induced activation of the retinoid X receptor β homodimer **105**, 27
Meier, V., see Groner, B. **100**, 109
Meizel, S., see Turner, K.O. **101**, 221
Melner, M.H., see Martel, C. **104**, 103
Melton, M.E., see McCauley, L.K. **101**, 331
Menéndez-Peláez, A., see Domínguez, P. **106**, 81
Menold, M., see Granger, N.A. **103**, 73
Menzies, G.S., see Bramley, T.A. **103**, 39
Messerle, K., Schlegel, J., Hynes, N.E., Groner, B., NIH/3T3 cells transformed with the activated erbB-2 oncogene can be phenotypically reverted by a kinase deficient, dominant negative erbB-2 variant **105**, 1
Meuris, S., see Marcotty, Ch. **99**, 237
Miceli, F., see Apa, R. **99**, 153
Miceli, F., see Apa, R. **106**, 207
Michael, A.E., Abayasekara, D.R.E., Webley, G.E., Cellular mechanisms of luteolysis **99**, R1
Michael, A.E., Cooke, B.A., A working hypothesis for the regulation of steroidogenesis and germ cell development in the gonads by glucocorticoids and 11β-hydroxysteroid dehydrogenase (11βHSD) **100**, 55
Miksicek R.J., see Wang, Y. **101**, 101
Milewich, L., see Sawetawan, C. **99**, 161
Millar, R.P., see Davidson, J.S. **100**, 9
Milton, N.G.N., see Grammatopoulos, D. **99**, 245
Milwidsky, A., see Hurwitz, A. **101**, 307
Minamino, N., see Ohyama, Y. **105**, 203
Minth, C.D., see Griffin, D. **101**, 1
Minucci, S., see Medin, J.A. **105**, 27
Missiaen, L., Parys, J.B., De Smedt, H., Oike, M., Casteels, R., Partial calcium release in response to submaximal inositol 1,4,5-trisphosphate receptor activation **98**, 147
Mita, M., Yoshikuni, M., Nagahama, Y., G-proteins and adenylyl cyclase in ovarian granulosa cells of amago salmon (*Oncorhynchus rhodurus*) **105**, 83
Mitchell, A.M., Manley, S.W., Mortimer, R.H., Interactions between transport of triiodothyronine and tryptophan in JAR cells **101**, 203
Miyai, K., see Kikuchi, T. **102**, 1
Miyamoto, K., see Ohyama, Y. **105**, 203
Miyamoto, T., Suzuki, S., DeGroot, L.J., Differential binding and activation of thyroid hormone response elements by $TR_{\alpha 1}$ and RXR_{α}-trap heterodimers **102**, 111
Miyoshi, I., see Maki, K. **105**, 147
Miyoshi, Y., Nakamura, H., Tagami, T., Sasaki, S., Nakao, K., 3,5,3′-Triiodothyronine stimulates retinoic acid-induced differentiation in HL-60 cells **103**, 119
Mochly-Rosen, D., see Garcia-Navarro, S. **103**, 133
Möller, C., Emtner, M., Arner, P., Norstedt, G., Growth hormone regulation of lipid metabolism in cells transfected with growth hormone receptor cDNA **99**, 111
Monnier, D., Boutillier, A.L., Giraud, P., Chiu, R., Aunis, D., Feltz, P., Zwiller, J., Loeffler, J.P., Insulin-like growth factor-I stimulates *c-fos* and *c-jun* transcription in PC12 cells **104**, 139
Montemurro, A. , see Sesti, G. **101**, 121
Moore, A., Krummen, L.A., Mather, J.P., Inhibins, activins, their binding proteins and receptors: interactions underlying paracrine activity in the testis **100**, 81
Moreau, C., see Verjans, B. **98**, 167
Moreno, M., see Lanni, A. **99**, 89
Morgan, P.J., see McNulty, S. **99**, 73
Morgan, P.J., see Helliwell, R.J.A. **104**, 95
Morin, N., see DiBattista, J.A. **103**, 139
Mortimer, R.H., see Mitchell, A.M. **101**, 203
Moseley, J.M., see Glatz, J.A. **101**, 295
Mountjoy, K.G., Bird, I.M., Rainey, W.E., Cone, R.D., ACTH induces up-regulation of ACTH receptor mRNA in mouse and human adrenocortical cell lines **99**, R7
Mountjoy, K.G., The human melanocyte stimulating hormone receptor has evolved to become "super-sensitive" to melanocortin peptides **102**, R7
Muff, R., Born, W., Kaufmann, M., Fischer, J.A., Parathyroid hormone and parathyroid hormone-related protein receptor update **100**, 35
Muff, R., see Kaufmann, M. **104**, 21
Mulder, E., see Kuil, C.W. **102**, R1
Mullaney, B.P., Rosselli, M., Skinner, M.K., Developmental regulation of Sertoli cell lactate production by hormones and the testicular paracrine factor, PModS **104**, 67

Müller, D., see Olcese, J. **103**, 95
Munie G.E., see Warren, W.C. **98**, 27
Münker, M., see Olcese, J. **103**, 95
Murono, E.P., Washburn, A.L., Goforth, D.P., Wu, N., Evidence that both receptor- and heparan sulfate proteoglycan-bound basic fibroblast growth factor are internalized by cultured immature Leydig cells **98**, 81
Murono, E.P., see Wu, N. **106**, 99
Musgrove, L.C., see Kakar, S.S. **101**, 151

Nadler, J., see Natarajan, R. **101**, 59
Nagahama, Y., see Mita, M. **105**, 83
Nakamura, H., see Miyoshi, Y. **103**, 119
Nakao, K., see Miyoshi, Y. **103**, 119
Namioka, S., see Maki, K. **105**, 147
Naor, Z., see Garcia-Navarro, S. **103**, 133
Nasnal, M.L., see Lin, T. **101**, 111
Natarajan, R., Lanting, L., Xu, L., Nadler, J., Role of specific isoforms of protein kinase C in angiotensin II and lipoxygenase action in rat adrenal glomerulosa cells **101**, 59
Naville, D., Barjhoux, L., Jaillard, C., Lebrethon, M.C., Saez, J.M., Bégeot, M., Characterization of the transcription start site of the ACTH receptor gene: presence of an intronic sequence in the 5′-flanking region **106**, 131
Naville, D., see Lebrethon, M.C. **106**, 137
Negoescu, A., Labat-Moleur, F., Brambilla, E., Chambaz, E.M., Feige, J.-J., Steroidogenic adrenocortical cells synthesize α_2-macroglobulin in vitro, not in vivo **105**, 155
Negrel, R., see Darimont, C. **98**, 67
Neill, J.D., see Kakar, S.S. **101**, 151
Neill, J.D., see Kakar, S.S. **106**, 145
Ness, J.M., Kasson, B.G., Induction of rat granulosa cell steroidogenic enzyme activities and their messenger ribonucleic acids by a splenocyte-derived factor **106**, 163
Nielsen, L.-L.A., see Lauritzen, L. **104**, 229
Niemann, A., Björklund, A., Eizirik, D.L., Studies on the molecular regulation of the inducible form of nitric oxide synthase (iNOS) in insulin-producing cells **106**, 151
Niemimaa, T., see Pakarinen, P. **101**, 37
Nikolova, D.B., see Martinova, Y.S. **98**, 75
Niles, L.P., see Tenn, C. **98**, 43
Nishikiori, N., see Kikuchi, T. **102**, 1
Nissley, P., see Linder, B. **105**, 111
Nolan, G.P., see Grandison, L. **106**, 9
Norstedt, G., see Möller, C. **99**, 111
Nussey, S.S., see Harfst, E. **102**, 77
Nygren, P., see Sjöholm, Å. **103**, 89
Nyman, T., see Pekonen, F. **103**, 165

O'Keeffe, L.M., see Glatz, J.A. **101**, 295
O'Mahoney, J.V., Brandon, M.R., Adams, T.E., Identification of a liver-specific promoter for the ovine growth hormone receptor **101**, 129
O'Shaughnessy, P.J., Mannan, M.A., Development of cytochrome P-450 side chain cleavage mRNA levels in neonatal ovaries of normal and hypogonadal (*hpg*) mice **104**, 133
O'Shaughnessy, P.J., Marsh, P., Dudley, K., Follicle-stimulating hormone receptor mRNA in the mouse ovary during post-natal development in the normal mouse and in the adult hypogonadal (*hpg*) mouse: structure of alternate transcripts **101**, 197
Oakes, S.R., Haynes, K.M., Batch, J., Ennis, G., Waters, M.J., Daughaday, W., Herington, A.C., Werther, G.A., Immunoreactive growth hormone receptor/binding protein is present on fibroblasts and in serum of Laron-type dwarfs **99**, 125
Obeyesekere, V.R., see Albiston, A.L. **105**, R1
Offermanns, S., Schultz, G., What are the functions of the pertussis toxin-insensitive G proteins G_{12}, G_{13} and G_z? **100**, 71
Ogawa, T., see Shiota, K. **101**, 315
Ohayon, R., Boeynaems, J.-M., Braekman, J.-C., Van den Bergen, H., Gorin, Y., Virion, A., Inhibition of thyroid NADPH-oxidase by 2-iodohexadecanal in a cell-free system **99**, 133
Ohyama, Y., Miyamoto, K., Minamino, N., Matsuo, H., Isolation and identification of midkine and pleiotrophin in bovine follicular fluid **105**, 203
Oike, M., see Missiaen, L. **98**, 147
Oiso, Y., see Watanabe, Y. **103**, 115
Oiso, Y., see Suzuki, A. **105**, 193
Okada, S., see Harding, P.A. **106**, 171
Okamoto, R., see Asakai, R. **104**, 75
Olcese, J., Müller, D., Münker, M., Schmidt, C., Natriuretic peptides elevate cyclic 3′,5′-guanosine monophosphate levels in cultured rat pinealocytes: evidence for guanylate cyclase-linked membrane receptors **103**, 95
Olofsson, J., Leung, P.C.K., Auto/paracrine role of prostaglandins in corpus luteum function **100**, 87
Olofsson, J.I., see Fan, N.C. **103**, R1
Orava, M., see Lewintre, E.J. **104**, 1
Ottobre, J.S., see Houmard, B.S. **104**, 113
Ozato, K., see Medin, J.A. **105**, 27

Padwick, M.L., Whitehead, M., King, R.J.B., Hormonal regulation of HSP27 expression in human endometrial epithelial and stromal cells **102**, 9
Pakarinen, P., Niemimaa, T., Huhtaniemi, I.T., Warren, D.W., Transcriptional and translational regulation of LH, prolactin and their testicular receptors by hCG and bromocriptine treatments in adult and neonatal rats **101**, 37
Pakdel, F., Petit, F., Anglade, I., Kah, O., Delaunay, F., Bailhache, T., Valotaire, Y., Overexpression of rainbow trout estrogen receptor domains in *Escherichia coli*: characterization and utilization in the production of antibodies for immunoblotting and immunocytochemistry **104**, 81
Paly, J., see Genty, N. **99**, 221
Paly, J., see Edery, M. **102**, 39
Panneels, V., Van Sande, J., Van den Bergen, H., Jacoby, C., Braekman, J.C., Dumont, J.E., Boeynaems, J.M., Inhibition of human thyroid adenylyl cyclase by 2-iodoaldehydes **106**, 41
Panneels, V., Van den Bergen, H., Jacoby, C., Braekman, J.C., Van Sande, J., Dumont, J.E., Boeynaems, J.M., Inhibition of H_2O_2 production by iodoaldehydes in cultured dog thyroid cells **102**, 167
Pantel, J., see Robert, P. **101**, 21
Papadopoulos, V., Boujrad, N., Ikonomovic, M.D., Ferrara, P., Vidic, B., Topography of the Leydig cell mitochondrial peripheral-type benzodiazepine receptor **104**, R5
Parissenti, A.M., Su, L., Riedel H., Reconstitution of protein kinase C alpha function by the protein kinase C beta-I carboxy terminus **98**, 9
Parker, Jr., C.R., see Stankovic, A.K. **99**, 145
Parma, J., Duprez, L., Van Sande, J., Paschke, R., Tonacchera, M., Dumont, J., Vassart, G., Constitutively active receptors as a disease-causing mechanism **100**, 159
Parmentier, M., see Ledent, C. **100**, 167
Parvinen, M., see Hakovirta, H. **99**, 119
Parvinen, M., see Penttillä, T.-L. **105**, 55
Parys, J.B., see Missiaen, L. **98**, 147
Paschke, R., see Parma, J. **100**, 159
Patchev, V.K., Brady, L.S., Karl, M., Chrousos, G.P., Regulation of HSP90 and corticosteroid receptor mRNA by corticosterone levels in vivo **103**, 57
Paterlini, P., see Esposito, N. **103**, 13
Paterson, J.A., see El-Husseini, A.E.-D. **104**, 191
Paus, R., see Slominski, A. **99** C, 7
Pavelic, K., see Saric, T. **106**, 23
Pavlovic-Hournac, M., see Abdelkhalek, M.B. **99**, 103

Pedram, A., see Hu, R.-M. **103**, 65
Pekary, A.E., Berg, L., Santini, F., Chopra, I., Hershman, J.M., Cytokines modulate type I iodothyronine deiodinase mRNA levels and enzyme activity in FRTL-S rat thyroid cells **101**, R1
Pekonen, F., Nyman, T., Rutanen, E.-M., Differential expression of mRNAs for endothelin-related proteins in human endometrium, myometrium and leiomyoma **103**, 165
Pellerin, S., Lafeuillade, B., Chambaz, E.M., Feige, J.-J., Distinct effects of thrombospondin-1 and CISP/thrombospondin-2 on adrenocortical cell spreading **106**, 181
Pelletier, J.-P., see DiBattista, J.A. **103**, 139
Peltoketo, H., see Lewintre, E.J. **104**, 1
Penel, C., see Gérard, C. **106**, 195
Peng, C., see Fan, N.C. **103**, R1
Penhoat, A., Jaillard, C., Saez, J.M., Regulation of bovine adrenal cell corticotropin receptor mRNA levels by corticotropin (ACTH) and angiotensin-II (A-II) **103**, R7
Penttillä, T.-L., Kaipia, A., Toppari, J., Parvinen, M., Mali, P., Localization of urokinase- and tissue-type plasminogen activator mRNAs in rat testes **105**, 55
Pestell, R.G., see Hollenberg, A.N. **106**, 111
Petit, F., see Pakdel, F. **104**, 81
Petraschuk, O.M., see Smirnova, O.V. **105**, 77
Pfaff, D.W., see Grandison, L. **106**, 9
Pichon, B., see Christophe, D. **100**, 155
Pierro, E., see Andreani, C.L. **106**, 91
Piétri-Rouxel, F., see Mauger, J.-P. **98**, 133
Pinet, F., see Konoshita, T. **99**, 307
Plas, C., see Zachayus, J.-L. **105**, 11
Pointis, G., see Fillion, C. **99**, 25
Pons, M., see Berthois, Y. **99**, 259
Porquet, D., see Roulier, S. **105**, 165
Portolano, S., see Prummel, M.F. **102**, 161
Porzio, O., see Borboni, P. **103**, 157
Postel-Vinay, M.-C., see Esposito, N. **103**, 13
Postel-Vinay, M.-C., see Villares, S.M.F. **106**, 51
Prummel, M.F., Portolano, S., Costante, G., Rapoport, B., McLachlan, S.M., Isolation and characterization of a monoclonal human thyroid peroxidase autoantibody of lambda light chain type **102**, 161
Purohit, A., see Macdiarmid, F. **106**, 17

Quérat, B., Cardinaud, B., Hardy, A., Vidal, B., D'Angelo, G., Sequence and regulation of European eel prolactin mRNA **102**, 151

Rachinsky, A., Zhang, J., Tobe, S.S., Signal transduction in the inhibition of juvenile hormone biosynthesis by allatostatins: roles of diacylglycerol and calcium **105**, 89
Rainey, W.E., see Sawetawan, C. **99**, 161
Rainey, W.E., see Mountjoy, K.G. **99**, R7
Rainey, W.E., Bird, I.M., Mason, J.I., The NCI-H295 cell line: a pluripotent model for human adrenocortical studies **100**, 45
Rajaniemi, H.J., see Lakkakorpi, J.T. **99**, 39
Rannikko, A., see Eskola, V. **102**, 63
Rao, Y.-p., see Buckley, A.R. **98**, 17
Rapoport, B., see Prummel, M.F. **102**, 161
Ravid, A., see Rocker, D. **106**, 157
Rawlings, S.R, PACAP, PACAP receptors, and intracellular signalling **101** C, 5
Rebut-Bonneton, C., see Roulier, S. **105**, 165
Reed, M.J., see Macdiarmid, F. **106**, 17
Reichert, Jr., L.E., The functional relationship between FSH and its receptor as studied by synthetic peptide strategies **100**, 21
Reichert, U., see Safonova, I. **104**, 201
Reinhardt, T.A., Horst, R.L., Phorbol 12-myristate 13-acetate and 1,25-dihydroxyvitamin D_3 regulate 1,25-dihydroxyvitamin D_3 receptors synergistically in rat osteosarcoma cells **101**, 159
Reiss, N., see Garcia-Navarro, S. **103**, 133
René, F., Hindelang, C., Stoeckel, M.E., Félix, J.M., Ontogeny of glucocorticoid and D2 receptors in the rat pituitary: an in situ hybridization study **105**, 65
Resnick, C.E., see Adashi, E.Y. **99**, 279
Riccio, A., see Zarrilli, R. **101**, R1
Ricken, A.M., see Spanel-Borowski, K. **104**, 11
Riddiford, L.M., see Granger, N.A. **103**, 73
Riedel H., see Parissenti, A.M. **98**, 9
Robberecht, P., see Svoboda, M. **105**, 131
Robert, P,, Troalen, F., Bellet, D., Bousfield, G.R., Bidart, J.-M., Immunochemical mapping of human lutropin: I. Delineation of a conformational antigenic determinant **101**, 11
Robert, P., Pantel, J., Troalen, F., Bellet, D., Bidart, J.-M., Immunochemical mapping of human lutropin: II. Characterization of two monoclonal antipeptide antibodies reacting with the native β-subunit **101**, 21
Roberts, J.L., see Yu, K.-L. **102**, 85
Roberts, Jr., C.T., see Butler, A.A. **101**, 321
Robertson, R.P., see Wogensen, L. **98**, 33
Robinson, P.J., see Liu, J.-P. **101**, 173
Robinson, P.J., see Liu, J.-P. **101**, 247
Robinson, P.J., see Liu, J.-P. **105**, 217
Rochette-Egly, C., see Roulier, S. **105**, 165
Rocker, D., Ravid, A., Liberman, U.A., Garach-Jehoshua, O., Koren, R., 1,25-Dihydroxyvitamin D_3 potentiates the cytotoxic effect of TNF on human breast cancer cells **106**, 157
Rogier, E., see Lefèvre, A. **106**, 31
Romagnolo, D., Akers, R.M., Byatt, J.C., Wong, E.A., Turner, J.D., IGF-I-Induced IGFBP-3 potentiates the mitogenic actions of IGF-I in mammary epithelial MD-IGF-I cells **102**, 131
Rombauts, L., see Hoeben, E. **101**, 263
Rombauts, W., see Swinnen, J.V. **104**, 153
Rosenfeld, R.G., see Adashi, E.Y. **99**, 279
Rosol, T.J., see McCauley, L.K. **101**, 331
Ross, M.S., see Harfst, E. **102**, 77
Rosselli, M., see Mullaney, B.P. **104**, 67
Rostovtsev, A.P., Wilson, S.P., Processing of proenkephalin in bovine chromaffin cells occurs in two phases **101**, 277
Rouiller-Fabre, V., see Gautier, C. **99**, 55
Roulier, S., Rochette-Egly, C., Rebut-Bonneton, C., Porquet, D., Evain-Brion, D., Nuclear retinoic acid receptor characterization in cultured human trophoblast cells: effect of retinoic acid on epidermal growth factor receptor expression **105**, 165
Rutanen, E.-M., see Pekonen, F. **103**, 165
Rydelek-Fitzgerald, L., see Wilcox, B.D. **101**, 67

Sadowski, H.B., see Wheeler, T.T. **104**, 29
Saez, J., see Gautier, C. **99**, 55
Saez, J.M., see Penhoat, A. **103**, R7
Saez, J.M., see Naville, D. **106**, 131
Saez, J.M., see Lebrethon, M.C. **106**, 137
Safe, S., see Harper, N. **104**, 47
Safonova, I., Darimont, C., Amri, E.-Z., Grimaldi, P., Ailhaud, G., Reichert, U., Shroot, B., Retinoids are positive effectors of adipose cell differentiation **104**, 201
Saïdi, B., de Bessé, N., Webster, S.G., Sedlmeier, D., Lachaise, F., Involvement of cAMP and cGMP in the mode of action of molt-inhibiting hormone (MIH) a neuropeptide which inhibits steroidogenesis in a crab **102**, 53
Sairam, M.R., see Jiang, L.G. **99**, 201
Saito, Y., Teshima, R., Yamazaki, T., Ikebuchi, H., Sawada, J.-c., Ligand-induced internalization and phosphorylation-dependent degradation of growth hormone receptor in human IM-9 cells **106**, 67
Saji, F., see Kikuchi, T. **102**, 1
Salesse, R., see Genty, N. **99**, 221
Sanchez, R., de Launoit, Y., Durocher, F., Bélanger, A., Labrie, F., Simard, J., Formation and degradation of dihydrotestosterone by re-

combinant members of the rat 3β-hydroxysteroid dehydrogenase/Δ^5-Δ^4 isomerase family **103**, 29
Sanderson, M.J., Charles, A.C., Boitano, S., Dirksen, E.R., Mechanisms and function of intercellular calcium signaling **98**, 173
Sandler, S., see Welsh, N. **103**, 109
Santini, F., see Pekary, A.E. **101**, R1
Santos, A., Yusta, B., Fernández-Moreno, M.D., Blázquez, E., Expression of insulin-like growth factor-I (IGF-I) receptor gene in rat brain and liver during development and in regenerating adult rat liver **101**, 85
Saric, T., Seitz, H.J., Pavelic, K., Detection of the substance immunologically cross-reactive with insulin in insulin RIA is an artifact caused by insulin tracer degradation: involvement of the insulin-degrading enzyme **106**, 23
Sarvetnick, N., see Wogensen, L. **98**, 33
Sasakawa, N., see Sharif, M. **100**, 115
Sasaki, N., see Maki, K. **105**, 147
Sasaki, S., see Miyoshi, Y. **103**, 119
Sassone-Corsi, P., see Delmas, V. **100**, 121
Savard, R., see Lafond, J. **99**, 285
Sawada, J.-c., see Saito, Y. **106**, 67
Sawetawan, C., Milewich, L., Word, R.A., Carr, B.R., Rainey, W.E., Compartmentalization of type I 17β-hydroxysteroid oxidoreductase in the human ovary **99**, 161
Saxer, M., see Spanel-Borowski, K. **104**, 11
Schippers, I.J., Kloppenburg, M., Snippe, L., AB, G., 9-*cis*-Retinoic acid represses estrogen-induced expression of the very low density apolipoprotein II gene **105**, 175
Schlegel, J., see Messerle, K. **105**, 1
Schmidt, C., see Olcese, J. **103**, 95
Schreiber, G., see Tsykin A. ***98***, 91
Schuller, A.G.P., Groffen, C., van Neck, J.W., Zwarthoff, E.C., Drop, S.L.S., cDNA cloning and mRNA expression of the six mouse insulin-like growth factor binding proteins **104**, 57
Schultz, G., see Offermanns, S. **100**, 71
Sealfon, S.C., see Davidson, J.S. **100**, 9
Sedlmeier, D., see Saïdi, B. **102**, 53
Segre, G.V., see McCauley, L.K. **101**, 331
Seidah, N.G., see Konoshita, T. **99**, 307
Seitz, H.J., see Saric, T. **106**, 23
Sellers, J.C., see Kakar, S.S. **101**, 151
Serck-Hanssen, G., see Skar, R. **106**, 213
Sesti, G., Tullio, A.N., Marini, M.A., Manera, E., Borboni, P., Accili, D., Longhi, R., Fusco, A., Lauro, R., Montemurro, A., Role of the exon 11 of the insulin receptor gene on insulin binding identified by anti-peptide antibodies **101**, 121
Sesti, G., see Borboni, P. **103**, 157
Setoyama, T., see Krisinger, J. **102**, 15
Sette, C., Vicini, E., Conti, M., Modulation of cellular responses by hormones: role of cAMP specific, rolipram-sensitive phosphodiesterases **100**, 75
Sharif, M., Sasakawa, N., Hanley, M.R., Malignant transformation by G protein-coupled hormone receptors **100**, 115
Shepherd, P.S., see Johnstone, A.P. **105**, R1
Sheppard, M.C., see Eggo, M.C. **100**, 97
Shimasaki, S., see Hamil, K.G. **99**, 269
Shimoda, K., see Ikeshima, H. **99**, 49
Shiota, K., Kasuga, F., Takamori, S., Ogawa, T., Alteration of basal release of anterior pituitary hormones by pretreatment of primary cultured cells with trypsin **101**, 315
Shiu, R.P.C., see El-Husseini, A.E.-D. **104**, 191
Shiverick, K.T., see Conliffe, P.R. **106**, 121
Shroot, B., see Safonova, I. **104**, 201
Signs, S.A., Liu, B., Wolford, J., Carrillo, A.J., Serotonergic involvement in the regulation of prolactin and vasoactive intestinal peptide mRNA expression in the rat anterior pituitary **105**, 183
Silversides, D.W., see Ethier, J.-F. **106**, 1
Simard, J., see Martel, C. **99**, 63
Simard, J., see Sanchez, R. **103**, 29
Simard, J., see Martel, C. **104**, 103
Simmen, R.C.M., see Conliffe, P.R. **106**, 121
Simoneau, L., see Lafond, J. **99**, 285
Sippel, K., see Christ, M. **99**, R1
Sizer, K.M., Smith, C.L., Jacob, C.S., Swanson, M.L., Bleasdale, J.E., Pioglitazone promotes insulin-induced activation of phosphoinositic 3-kinase in 3T3-L1 adipocytes by inhibiting a negative control mechanism **102**, 119
Sizer, K.M., Smith, C.L., Jacob, C.S., Swanson, M.L., Bleasdale, J.E., Pioglitazone promotes insulin-induced activation of phosphoinositide 3-kinase in 3T3-L1 adipocytes by inhibiting a negative control mechanism **103**, 1
Sjöholm Å., Inhibitory effects of cyclosporin A on rat insulinoma cell proliferation, polyamine content and insulin secretion **99**, 21
Sjöholm, Å., Bucht, E., Theodorsson, E., Larsson, R., Nygren, P., Polyamines regulate human medullary thyroid carcinoma TT-cell proliferation and secretion of calcitonin and calcitonin gene-related peptide **103**, 89
Skar, R., Larsen, T.H., Serck-Hanssen, G., Regulation of c-fos expression by IGF-I in bovine chromaffin cells: desensitization following cholinergic activation **106**, 213
Skinner, M.K., see Mullaney, B.P. **104**, 67
Slominski, A., Paus, R., Towards defining receptors for L-tyrosine and L-DOPA **99** C, 7
Sluss, P.M., see Albanese, C. **101**, 211
Smirnova, O.V., Petraschuk, O.M., Kelly, P.A., Immunocytochemical localization of prolactin receptors in rat liver cells: I. Dependence on sex and sex steroids **105**, 77
Smith, C.L., see Sizer, K.M. **102**, 119
Smith, C.L., see Sizer, K.M. **103**, 1
Smith, R.E., see Albiston, A.L. **105**, R1
Smyth, C.D., see Hillier, S.G. **100**, 51
Snippe, L., see Schippers, I.J. **105**, 175
Solache, I.L., see Bernier, F. **99**, R1
Sonenberg, M., Guller, S., Wu K.-Y., Corin, R.E., Allen, D.L., Activity of growth hormone peptides bGH 96-133 and hGH 95-133 in 3T3-F442A cells **99**, 193
Song, Q., Combest, W.L., Gilbert, L.I., Spermine and polylysine enhanced phosphorylation of calmodulin and tubulin in an insect endocrine gland **99**, 1
Song, S.-Y., see Asakai, R. **104**, 75
Sørnes, G., Bjøro, T., Berg, J.P., Torjesen, P.A., Haug, E., Calcitriol attenuates the basal and vasoactive intestinal peptide-stimulated cAMP production in prolactin-secreting rat pituitary (GH_4C_1) cells **101**, 183
Southby, J., see Glatz, J.A. **101**, 295
Souza, S., see Harding, P.A. **106**, 171
Spanel-Borowski, K., Ricken, A.M., Saxer, M., Huber, P.R., Long-term co-culture of bovine granulosa cells with microvascular endothelial cells: effect on cell growth and cell death **104**, 11
Spicer, L.J., Alpizar, E., Vernon, R.K., Insulin-like growth factor-I receptors in ovarian granulosa cells: Effect of follicle size and hormones **102**, 69
Stankovic, A.K., Dion, L.D., Parker, Jr., C.R., Effects of transforming growth factor-β on human fetal adrenal steroid production **99**, 145
Stewart, H.J., see Flint, A.P.F. **100**, 93
Stoeckel, M.E., see René, F. **105**, 65
Stokes, B.T., see Houmard, B.S. **104**, 113
Su, L., see Parissenti, A.M. **98**, 9
Sutcliffe, J.G., see Wogensen, L. **98**, 33
Suzuki, A., see Watanabe, Y. **103**, 115
Suzuki, A., Oiso, Y., Kozawa, O., Effect of endothelin-1 on phospholipase D activity in osteoblast- like cells **105**, 193
Suzuki, S., see Miyamoto, T. **102**, 111

Svoboda, M., Tastenoy, M., Vertongen, P., Robberecht, P., Relative quantitative analysis of glucagon receptor mRNA in rat tissues **105**, 131
Swanson, M.L., see Sizer, K.M. **102**, 119
Swanson, M.L., see Sizer, K.M. **103**, 1
Swinnen, J.V., Esquenet, M., Heyns, W., Rombauts, W., Verhoeven, G., Androgen regulation of the messenger RNA encoding diazepam-binding inhibitor/acyl-CoA-binding protein in the human prostatic adenocarcinoma cell line LNCaP **104**, 153
Sztein, J., see Domené, H.M. **103**, 81

Tagami, T., see Miyoshi, Y. **103**, 119
Tahri-Joutei, A., see Fillion, C. **99**, 25
Taïb, N., see Fillion, C. **99**, 25
Takahashi, E., see Maki, K. **105**, 147
Takamori, S., see Shiota, K. **101**, 315
Takano, T., see Ikeshima, H. **99**, 49
Takeda, R., see Konoshita, T. **99**, 307
Tamura, K., see Asakai, R. **104**, 75
Tangalakis, K., Crawford, R., McFarlane, A.C., Wintour, E.M., Regulation of steroid hydroxylase gene expression in the ovine fetal adrenal gland at 0.4 gestation **103**, 21
Tanizawa, O., see Kikuchi, T. **102**, 1
Tanti, J.-F., see Cormont, M. **99**, 169
Tastenoy, M., see Svoboda, M. **105**, 131
Tata, J.R., see Ulisse, S. **105**, 45
Taylor, W.L., see Griffin, D. **101**, 1
Teerds, K.J., see Veldhuizen-Tsoerkan, M.B. **105**, 37
Tekpetey, F.R., Armstrong, D.T., Catecholestrogen modulation of steroid production by rat luteal cells: mechanism of action **101**, 49
Teng, C.T., see Liu, Y. **101**, 167
Tenn, C., Niles, L.P., Physiological regulation of melatonin receptors in rat suprachiasmatic nuclei: diurnal rhythmicity and effects of stress **98**, 43
Teshima, R., see Saito, Y. **106**, 67
Themmen, A.P.N., Kraaij, R., Grootegoed, J.A, Regulation of gonadotropin receptor gene expression **100**, 15
Themmen, A.P.N., see Grootegoed, J.A. **100**, 29
Theodorsson, E., see Sjöholm, Å. **103**, 89
Thijssen, J.H.H., see Koehorst, S.G.A. **101**, 237
Thole, H.H., see Leenders, F. **104**, 127
Thole, H.H., see Bökenkamp, D. **104**, 163
Thomas, M.L., see Xu, X. **105**, 197
Thompson, M., see McNulty, S. **99**, 73
Tobe, S.S., see Rachinsky, A. **105**, 89
Tomás, C., see Fernández-Alvarez, J. **103**, 49
Tonacchera, M., see Parma, J. **100**, 159
Toppari, J., see Penttillä, T.-L. **105**, 55
Torjesen, P.A., see Sørnes, G. **101**, 183
Törnquist, K., Ekokoski, E., Forss, L., TRH-evoked entry of extracellular calcium in GH_4C_1 cells: possible importance of arachidonic acid metabolites **102**, 103
Törnquist, K., see Ekokoski, E. **103**, 125
Touitou, Y., see Zhao, Z.-Y. **101**, 189
Touraine, P., de Moraes, M.d.C.L., Dardenne, M., Kelly, P.A., Expression of short and long forms of prolactin receptor in murine lymphoid tissues **104**, 183
Troalen, F., see Robert, P. **101**, 11
Troalen, F., see Robert, P. **101**, 21
Tseng, L., see Gao, J.-G. **104**, 39
Tsukioka, M., see Iino, M. **98**, 141
Tsykin, A., Schreiber, G., Sheep thyroxine-binding globulin: cDNA sequence and expression **98**, 91
Tuckey, R.C., Kostadinovic, Z., Cameron, K.J., Cytochrome $P\text{-}450_{scc}$ activity and substrate supply in human placental trophoblasts **105**, 103
Tullio, A.N., see Sesti, G. **101**, 121
Turner, J.D., see Romagnolo, D. **102**, 131
Turner, K.O., Garcia, M.A., Meizel, S., Progesterone initiation of the human sperm acrosome reaction: the obligatory increase in intracellular calcium is independent of the chloride requirement **101**, 221

Ulisse, S., Tata, J.R., Thyroid hormone and glucocorticoid independently regulate the expression of estrogen receptor in male *Xenopus* liver cells **105**, 45
Uría, H., see Domínguez, P. **106**, 81
Uzumcu, M., Lin, Y.C., Characterization of the stimulatory actions of thymic factor(s) on basal and gonadotropin-induced steroidogenesis in cultured rat granulosa cells **105**, 209

Valotaire, Y., see Pakdel, F. **104**, 81
Vamvakopoulos, N.O., Tissue-specific expression of heat shock proteins 70 and 90: potential implication for differential sensitivity of tissues to glucocorticoids **98**, 49
Van den Bergen, H., see Ohayon, R. **99**, 133
Van den Bergen, H., see Panneels, V. **102**, 167
Van den Bergen, H., see Panneels, V. **106**, 41
van der Burg, B., see Kalkhoven, E. **102**, 45
van der Saag, P.T., see Kalkhoven, E. **102**, 45
Van Eylen, F., Gourlet, P., Vandermeers, A., Lebrun, P., Herchuelz, A., Inhibition of Na/Ca exchange by Phe-Met-Arg-Phe-NH_2 (FMRFa)-related peptides in intact rat pancreatic B-cells **106**, R1
van Helvoort, A., see Lopes da Silva, S. **98**, 61
van Neck, J.W., see Schuller, A.G.P. **104**, 57
Van Obberghen, E., see Cormont, M. **99**, 169
Van Sande, J., see Parma, J. **100**, 159
Van Sande, J., see Panneels, V. **102**, 167
Van Sande, J., see Panneels, V. **106**, 41
Vandermeers, A., see Van Eylen, F. **106**, R1
Vassart, G., see Parma, J. **100**, 159
Vassart, G., see Ledent, C. **100**, 167
Veldhuizen-Tsoerkan, M.B., Ivell, R., Teerds, K.J., hCG-induced changes in LH/CG receptor mRNA transcript levels in the testis of adult hypophysectomized, ethane dimethyl sulphonate-treated rats **105**, 37
Velloso, L.A., Björk, E., Ballagi, A.E., Funa, K., Andersson, A., Kämpe, O., Karlsson, F.A., Eizirik, D.L., Regulation of GAD expression in islets of Langerhans occurs both at the mRNA and protein level **102**, 31
Verhoeven, G., see Hoeben, E. **101**, 263
Verhoeven, G., see Swinnen, J.V. **104**, 153
Verjans, B., Moreau, C., Erneux, C., The control of intracellular signal molecules at the level of their hydrolysis: the example of inositol 1,4,5-trisphosphate 5-phosphatase **98**, 167
Vernon, R.K., see Spicer, L.J. **102**, 69
Verrier, B., see Gérard, C. **106**, 195
Vertongen, P., see Svoboda, M. **105**, 131
Vicini, E., see Sette, C. **100**, 75
Vidal, B., see Quérat, B. **102**, 151
Vidic, B., see Papadopoulos, V. **104**, R5
Vierula, M., see Hakovirta, H. **99**, 119
Vigier, M., see Gautier, C. **99**, 55
Vihko, R., see Lewintre, E.J. **104**, 1
Villard, E., see Konoshita, T. **99**, 307
Villares, S.M.F., Goujon, L., Maniar, S., Delehaye-Zervas, M.-C., Martini, J.-F., Kleincknecht, C., Postel-Vinay, M.-C., Reduced food intake is the main cause of low growth hormone receptor expression in uremic rats **106**, 51
Vinggaard, A.M., see Lauritzen, L. **104**, 229
Virion, A., see Ohayon, R. **99**, 133
Vonderhaar, B.K., see Das, R.B. **98**, 1

Wagner, G.F., Jaworski, E., Calcium regulates stanniocalcin mRNA levels in primary cultured rainbow trout corpuscles of Stannius **99**, 315
Wahe, M., Antonipillai, I., Horton, R., Effects of transforming growth factor β and epidermal growth factor on steroid 5α-reductase activity in genital skin fibroblasts **98**, 55
Wahli, W., see Green, S. **100**, 149
Wahli, W., see Marilley, D. **101**, 227
Wang, D., see Lin, T., **101**, 111
Wang, D., see Macdiarmid, F. **106**, 17
Wang, F.-F., see Chien, C.-H. **99**, 11
Wang, X., see Harper, N. **104**, 47
Wang, X.Z., see Harding, P.A. **106**, 171
Wang, Y., Miksicek R.J., Characterization of estrogen receptor cDNAs from human uterus: identification of a novel *Pvu*II polymorphism **101**, 101
Warren, D.W., see Pakarinen, P. **101**, 37
Warren, D.W., see Eskola, V. **102**, 63
Warren, W.C., Munie G.E., Glenn, K.C., Spi-1: an hepatic serine protease inhibitor regulated by GH and other hormones **98**, 27
Washburn, A.L., see Murono, E.P. **98**, 81
Watanabe, Y., Kozawa, O., Suzuki, A., Kotoyori, J., Ito, Y., Oiso, Y., Okadaic acid reverses the inhibitory effect of protein kinase C on alkaline phosphatase activity in osteoblast-like cells **103**, 115
Waters, M.J., see Oakes, S.R. **99**, 125
Webley, G.E., see Michael, A.E. **99**, R1
Webster, S.G., see Saïdi, B. **102**, 53
Wehling, M., see Christ, M. **99**, R1
Welsh, N., Sandler, S., Protective action by hemin against interleukin-1β induced inhibition of rat pancreatic islet function **103**, 109
Werkmeister, J.R., see McCauley, L.K. **101**, 331
Werther, G.A., see Oakes, S.R. **99**, 125
Wheeler, T.T., Sadowski, H.B., Young D.A., Glucocorticoid and phorbol ester effects in 3T3-L1 fibroblasts suggest multiple and previously undescribed mechanisms of glucocorticoid receptor-AP-1 interaction **104**, 29
Whitehead, M., see Padwick, M.L. **102**, 9
Whitelaw, P.F., see Hillier, S.G. **100**, 51
Wicks, J.R., see Brooks, C.L. **99**, 301
Wierman, M.E., see Bruder, J.M. **99**, 177
Wiktorowicz, M., see Lazier, C.B. **106**, 187
Wilcox, B.D., Rydelek-Fitzgerald, L., Jeffrey, J.J., Regulation of uterine collagenase gene expression: interactions between serotonin and progesterone **101**, 67
Williams, D.L., see Lazier, C.B. **106**, 187
Wilson, J.D., see Bentvelsen, F.M. **105**, 21
Wilson, S.P., see Rostovtsev, A.P. **101**, 277
Wintour, E.M., see Tangalakis, K. **103**, 21
Wogensen, L., Ma, Y.-H., Grodsky, G.M., Robertson, R.P., Burton, F., Sutcliffe, J.G., Sarvetnick, N., Functional effects of transgenic expression of cholera toxin in pancreatic beta-cells **98**, 33
Wolford, J., see Signs, S.A. **105**, 183
Wolpe, S.D., see Hakovirta, H. **99**, 119
Wong, E.A., see Romagnolo, D. **102**, 131
Word, R.A., see Sawetawan, C. **99**, 161
Wu K.-Y., see Sonenberg, M. **99**, 193
Wu, L.-M., see Hu, R.-M. **103**, 65
Wu, N., see Murono, E.P. **98**, 81
Wu, N., Murono, E.P., A Sertoli cell-secreted paracrine factor(s) stimulates proliferation and inhibits steroidogenesis of rat Leydig cells **106**, 99
Wyche, J.H., see Han, Z. **99**, 293

Xu, L., see Natarajan, R. **101**, 59
Xu, X., Thomas, M.L., Estrogen receptor-mediated direct stimulation of colon cancer cell growth in vitro **105**, 197

Yagel, S., see Hurwitz, A. **101**, 307
Yamakuni, T., see Asakai, R. **104**, 75
Yamashita, T., see Maki, K. **105**, 147
Yamazaki, T., see Saito, Y. **106**, 67
Yan, G.-z., Chen, X.-h., Bancroft, C., A constitutively active form of CREB can activate expression of the rat prolactin promoter in non-pituitary cells **101**, R5
Yang, Y., see Hoeflich, A. **101**, 141
Yeo, T.T.S., see Yu, K.-L. **102**, 85
Ying, C., Gorski, J., DNA topology regulates rat prolactin gene transcription **99**, 183
Yoshikuni, M., see Mita, M. **105**, 83
Young D.A., see Wheeler, T.T. **104**, 29
Yu, K.-L., Yeo, T.T.S., Dong, K.-W., Jakubowski, M., Lackner-Arkin, C., Blum, M., Roberts, J.L., Second messenger regulation of mouse gonadotropin-releasing hormone gene expression in immortalized mouse hypothalamic GT1-3 cells **102**, 85
Yu, Y.M., see Domené, H.M. **103**, 81
Yusta, B., see Santos, A. **101**, 85

Zachayus, J.-L., Cherqui, G., Plas, C., Protein kinase C and insulin receptor β-subunit serine phosphorylation in cultured foetal rat hepatocytes **105**, 11
Zarnegar, R., see Liu, Y. **104**, 173
Zarrilli, R., Bruni, C.B., Riccio, A., Multiple levels of control of insulin-like growth factor gene expression **101**, R1
Zhang, J., see Rachinsky, A. **105**, 89
Zhao, Z.-Y., Touitou, Y., Pineal perifusion with calcium channel blockers inhibits differently daytime and nighttime melatonin production in rat **101**, 189
Zwain, I.H., Cheng, C.Y., Rat seminiferous tubular culture medium contains a biological factor that inhibits Leydig cell steroidogenesis: its purification and mechanism of action **104**, 213
Zwarthoff, E.C., see Schuller, A.G.P. **104**, 57
Zwiller, J., see Monnier, D. **104**, 139